

SURFACE WATER MANHOLE SCHEDULE															
MANHOLE REF.	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	CHAMBER INVERT LEVEL (m)	DEPTH TO CHAMBER INVERT (m)	MANHOLE TYPE	INNER DIAMETER (mm)	CLEAR OPENING DIMENSIONS (mm)	COVER TYPE	COVER GRADE	INCOMING PIPE INVERT LEVEL (m)	INCOMING PIPE DIAMETER (mm)	OUTGOING PIPE INVERT LEVEL (m)	OUTGOING PIPE INNER DIAMETER (mm)	COMMENTS
PR SW MH 1.0	344132.850	390900.6470	34.00	32.60	1.40	TYPE C	1350	1220 x 685	DUCTILE IRON	D400	32.90 32.90 150	150	32.90	150	TO BE INSTALLED WITH 300mm CATCHPI
PR SW MH 2.0	344121.128	390854.4380	34.57	33.60	0.97	TYPE C	1350	1220 x 685	DUCTILE IRON	D400	33.90 33.90 150	150	33.90	225	TO BE INSTALLED WITH 300mm CATCHPI
PR SW MH 3.0	344223.703	390833.3480	36.99	35.40	1.59	TYPE C	1350	1220 x 685	DUCTILE IRON	D400	35.70 35.70 150	150	35.70	150	TO BE INSTALLED WITH 300mm CATCHPI
PR SW MH 4.0	344234.800	390865.9810	36.70	35.68	1.02	TYPE C	1350	1220 x 685	DUCTILE IRON	D400	35.98 35.98 150	150	35.98	100	TO BE INSTALLED WITH 300mm CATCHPI

FOUL WATER MANHOLE SCHEDULE															
MANHOLE REF.	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	CHAMBER INVERT LEVEL (m)	DEPTH TO CHAMBER INVERT (m)	MANHOLE TYPE	INNER DIAMETER (mm)	CLEAR OPENING DIMENSIONS (mm)	COVER TYPE	COVER GRADE	INCOMING PIPE INVERT LEVEL (m)	INCOMING PIPE DIAMETER (mm)	OUTGOING PIPE INVERT LEVEL (m)	OUTGOING PIPE INNER DIAMETER (mm)	COMMENTS
PR FW MH 1.0	344198.989	390903.1880	36.42	32.30	4.12	TYPE A	1200	600 x 600	DUCTILE IRON	D400	32.287 32.287	150	32.287	150	
PR FW MH 1.1	344214.628	390914.9330	36.70	32.11	4.59	TYPE A	1200	600 x 600	DUCTILE IRON	D400	31.466	150	31.466	150	
PR FW MH 1.2	344191.878	390942.9510	36.46	31.73	4.73	TYPE A	1200	600 x 600	DUCTILE IRON	D400	29.950	150	29.950	150	
EX FW MH 1.3	344174.028	390931.8170	35.54	31.51	4.03	TYPE A	1200	600 x 600	DUCTILE IRON	D400	28.690	150	28.690	150	EXISTING CHAMBER WITH NEW INCOMING CONNECTION

P01 ISSUED FOR APPROVAL		22.08.2025	HE	PA	PA
Rev	Description	Date	Iss'd	Rev'd	App'd

TENDER

Project Stage

APPROVAL

Status of Drawing



2nd Floor Eastgate
2 Castle Street
Manchester M3 4LZ
UK

Tel: +44 (0)161 233 5000
Fax: +44 (0)161 233 4143
Email: 0064419@burohappold.com
Web: www.burohappold.com

Client	GENR8 KAJIMA REGENERATION LTD
Architect	5PLUS
Project	Huyton Town Centre Regeneration
Dwg Title	ENABLING WORKS PROPOSED MANHOLE SCHEDULE

Job No.
0054419

Scale: All
As Shown

Drawn/Designed By:
HE

PA

HCO-BHE-XX-XX-DR-C-3810

P0