Existing Building

Existing Building

Existing Building

Woolfall Close

Existing Building

Existing Building

Woolfall Cresent

13B

14B

16B

11B

15B

Existing Building

4A 8A

3A 7A

2A 6A

1A 5A

9A

10A

Existing Building

Existing Building

Existing Building

Existing Building

11B

18B

17B

Entrance

Exit

Existing Public Street Light
to be repositioned by Council
Lighting Authority on a
rechargeable basis to the client

Existing Public Street Light
to be repositioned by Council
Lighting Authority on a
rechargeable basis to the client

Liverpool Rd

Lighting legend

5m steel Column to comply with BS EN 40 T111
OrangeTek IGNIS WPE 20 LED (4000K) 249mA Lantern Fitted with a Rear Louvre (IP66)
Lantern mounted directly on top of column. Circuit watts 16

GDS KN 4K 31.8 watt 5092 lm A-V05 Lantern Fitted Flush on Forecourt Canopy

Existing Public Street Light

LIGHTING LAYOUT COMPLETED
BY MICHAEL DOHERTY
OF DOHERTY CONSULTING SERVICES

Project
FARMERS ARMS LIVERPOOL

Drawing
EXTERIOR LIGHTING LAYOUT

Scale 1:200 @ A1

Date 03 - 11 - 2026

DRAWING NO. 108/FS/LL/26