



Notes:

- Set all Drainage at a 1:40 Fall
- All Chambers are Plastic / MH Covers only require to be Plastic
- Unless Stated all Chambers are 450mm Ø (2 No. 600mm Chambers)
- Unless Stated all Foul Drainage Pipe is 110mm Ø
- Min. 150mm Consolidated MOT Type 1 to hatched areas as indicated
- 1 No. 150mm Ø Duct routed from School to GRP
- 1 No. 100mm Ø Duct routed from School to GRP
- 1 No. 100mm Ø Duct to be routed from school to Access Chamber 1 to house Alarms and Fibre Links
- Mains Water to follow route of foul water trench
- 32mm MDPE to come across from school in Duct Trench until it meets foul drain then to follow same route. 32mm taken to between each building and T off in 22mm Ø
- Footpaths spec 20mm Surface / 40mm Binder / 100mm sub-base or equivalent single Tarmac layer
- Timber Edgings
- 1500 x 1500 landings to bottom of steps, spec as per footpaths
- Circa 260m² Tarmac to footpaths and landings
- 300 x 300mm Cut slabs below ramp and step footings
- 120 No. Slabs as footings below ramps & steps
- Remove excess stone and Soft landscape over all areas except to areas between buildings to the rear

Do Not Scale from Drawing Illustration Details: Contact the Space Division Office Illustration Details: Submitting for a Designation Study from the Drawing	A 1200mm clear working space has to be provided on all Permissible Single Module Installations A 2000mm clear working space has to be provided on all 2 or be level, consolidated ground. Unless previously agreed.
S-1 RB 04/10/22 Ducts, landings to foot of stairs, overall floor indicated	KS
S-0 RB 23/09/22 Initial Drawing	KS
Rev By Date Description	CRK Add

	<i>flexible modular accommodation</i>	
	Head Office 100-102, The Quadrant, Buntingford, West Loftham, Ely DE6 2SP	Tel 01506 633122 Fax 01506 633120 Email enquiries@sibcas.co.uk www.sibcas.co.uk
Client	Knowsley Borough Council	
Project	Plantation Primary School	
Drawing Title	6 No 50' x 32' Classrooms 1 No. 40' x 32' Dining / Kitchen Proposed Drainage/levels/Landscaping/Services	
Scale	1:150 @ A1	
Drawing No.	Revision	
160 22 20	S-1	