

General Notes

- This document is to be used for the stated purpose only and should not be used for any other.
- Dimensions are all in millimetres, unless stated otherwise.
- It is the recipient's responsibility to print this document to the correct size & scale.
- All relevant drawings and specifications should be read in conjunction with this document.
- Scaling of this document is not recommended.

North



Document Scale(s)

10m SCALE 1:500

External Surfacing Key.

- Service Yard:**
Concrete - to engineer's details
- Roads:**
Bituminous macadam - to engineer's details
- Car Park:**
Porous block paving to suit load criteria identified by engineer
To be supplied by Tobermore of similar approved
To be Silver (Stretcher bond) to parking bays and Graphite (Herringbone) to aisles. Space demarcation with graphite blocks.
Permeable surfacing requirements as noted on engineer's details
- Footpaths (General):**
Bituminous macadam - to engineer's details
- Footpaths (Feature Block Paving):**
Tobermore Fusion
200 x 100 x 60mm / Silver & Graphite
- Footpaths (Ancillary):**
Concrete - to engineer's details
- Soft Landscaping:**
To Landscape Architect's details
- Gravel Margin (Trailer Parking and Substations):**
2000mm minimum clearance between yard edge and fence post, and gravel margin to edge of substations
- Self Bound Gravel Surfacing (Amenity Area):**
50mm compacted depth brendon gravel or similar approved.
To Landscape Architect's details
- Gravel Margin (100mm):**
100mm overall from finished face of cladding
- Trailer parking bay lining (Optional extra):**
Indicates indicative trailer parking zones.
To be reviewed with Indurent on each project.
Colour: yellow
- Retaining Wall:**
To engineers' details



Project Name

Indurent Park, Moorgate Point, Knowsley

Employer		Project Address		
Indurent		Moorgate Point Liverpool L33 7XW		
RIBA Workstage		Suitability		
3 - Spatial Coordination		S2 - Information		
Drawn	Checked	Created	Size	
JWY	TDA	28.06.2025	A1	
UMC Project Reference		Scale	LOD	LOI
22520		1:500	1	1

Document Title

External Finishes

Document Reference

22520 - UMC - ZZZZ - SI - DR - A - 0701

Revision Note

Site entrance swing gate location amended

Issue Date Status Current Revision

18.12.2025
PLANNING
This drawing is to be used for the stated purpose only and should not be used for any other
P08