


LEGEND

- ELEVATION - DRAWING REFERENCE
- SECTION - DRAWING REFERENCE
- DETAIL LAYOUT - DRAWING REFERENCE
- ASSEMBLY - DRAWING REFERENCE
- STORE 3B002** ROOM NAME/ ROOM NO FOR FINISHES REFER TO SCHEDULE.
- LEVEL
- DOOR NO. FOR TYPE/ DETAIL REFERENCES REFER SCHEDULE
- WINDOW NO. FOR TYPE/ DETAIL REFERENCES REFER SCHEDULE
- GRID LINE REFERENCE
- WALL TYPE/ DETAIL REFERENCE. REFER TO SPECIFICATION
- WARDROBE NO. FOR TYPE/ DETAIL REFERENCES REFER SCHEDULE
- PANEL NO. FOR TYPE/ DETAIL REFERENCES REFER SCHEDULE
- HEAT DETECTOR
- SMOKE DETECTOR

MAINS OPERATED SMOKE ALARMS & ALARM SYSTEM WITH A BATTERY BACK UP IS REQUIRED TO AT LEAST GRADE D CATEGORY L03 STANDARD IN ACCORDANCE WITH BS 5839 PART 6:2004

NOTE:

ALL ELECTRICAL WORK COVERED BY PART P (ELECTRICAL SAFETY) MUST BE DESIGNED, INSTALLED, INSPECTED & TESTED BY A PERSON COMPETENT TO DO SO. THE PERSON MUST BE REGISTERED WITH AN AUTHORISED SELF-CERTIFICATION SCHEME (eg BRE CERTIFICATION, BSI, ELECSA, NICEIC OR NAPP CERTIFICATION). PRIOR TO COMPLETION AN APPROPRIATE BS 5811 ELECTRICAL INSTALLATION CERTIFICATE MUST BE PROVIDED BY THE COMPETENT PERSON.



©Crown Copyright and database right 2022  
Ordnance Survey License: 100048957  
Reproduction in whole or part is prohibited without the prior permission of Ordnance Survey  
Serial No. 239782

## LOCATION PLAN scale 1: 1250

**DAMIANFIELD**  
ARCHITECTS

Springwood House, 4 Rose Lane, Mossley Hill, Liverpool, L18 5ED  
T 07950 830844 www.damianfieldarchitects.co.uk  
RIBA Membership 09128282 ARB Registration 062412H

### PROPOSED WORKS TO Shippins 1 & 2

Ox Lane, Tarbock Hall Estate  
Tarbock Green, Prescot, L35 1QA

## TITLE PROPOSED FIRST FLOOR PLAN GENERAL ARRANGEMENT

| PROJECT         | TYPE | CATEGORY | NUMBER | REVISION        |
|-----------------|------|----------|--------|-----------------|
| 431             | L    | (--)     | 04     | -               |
| SCALE 1:50 @ A1 |      |          |        | DATE 03/03/2035 |

ANY DISCREPANCIES BETWEEN DRAWINGS OR BETWEEN DRAWINGS & ACTUAL SITE CONDITIONS SHOULD BE IMMEDIATELY BE BROUGHT TO THE ATTENTION OF THE ARCHITECTS.

D

C

A

B

## PROPOSED FIRST FLOOR PLAN

