



Knowsley Council

PLACE DIRECTORATE

TOWN AND COUNTRY PLANNING ACT 1990

PLANNING PERMISSION

Application No: 21/00267/FUL

Name and address of applicant

MFG Construction Ltd
C/O Keith Davidson Partnership
13 Seymour Terrace
Seymour Street
Liverpool
L3 5PE

Name and address of agent

Keith Davidson Partnership Architects
13 Seymour Terrace
Seymour Street
Liverpool
L3 5PE

Date of Receipt: 22 March 2021

Date Valid: 25 March 2021

Address/Location Of Development:

22 Smithy Close
Cronton
Knowsley
WA8 5BT

Description of Development:

ERECTION OF 1 NO. TWO STOREY TERRACE DWELLING AND 1 NO. TWO STOREY END TERRACE DWELLING TOGETHER WITH ASSOCIATED WORKS

The Council of the Metropolitan Borough of Knowsley hereby give notice in pursuance of the above Act(s) that Planning Permission has been **granted** for the carrying out of the development referred to above in accordance with the application and plans submitted subject to the following condition(s):

1. The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason: In order to comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).

2. The development hereby permitted shall be carried out in accordance with the approved plans and documents listed in Schedule 1.

Reason: For the avoidance of doubt.

3. No work for the construction of these developments, including demolition and deliveries to and from the site shall take place on the site, except between the hours:

08.00 - 18.00 Monday to Friday; and
08.00 - 13.00 on Saturdays;

and in particular, no work should be carried out on Sundays or officially recognised public holidays.

Reason: To safeguard the amenities of nearby residents and to comply with Policies CS2 and CS19 of the Knowsley Local Plan Core strategy adopted January 2016 and saved Policies H5 and ENV2 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

4. The parking provision shown for each dwelling shown on the approved plans shall be provided prior to first occupation of the dwelling to which it relates. Notwithstanding any submitted details the parking area shall be hard surfaced in accordance with details previously submitted to and agreed in writing by the Local Planning Authority and shall be made available for its intended use at all times thereafter. For the avoidance of doubt the surfacing shall be of porous or permeable materials or shall drain to a porous or permeable area within the curtilage of the dwelling, and there shall be no surface water run-off from the parking areas to the highway.

Reason: In the interests of highway and pedestrian safety and to comply with Policies CS2, CS7 and CS19 of the Knowsley Local Plan Core Strategy, adopted January 2016.

5. No dwelling hereby permitted shall be first occupied until it has been provided with an outdoor, weatherproof electric vehicle charging point readily accessible from a dedicated parking space.

All charge points shall be:

- a) a minimum of 7KW,
- b) at least Mode 3 or equivalent,
- c) untethered, and
- d) located in order to comply with the Equality Act 2010 and the accessibility requirements set out in the Building Regulations Part M.

All EV charging points shall be clearly marked as such and their purpose explained to new occupants within their new home welcome pack/travel planning advice.

Reason: In the interests of air quality, promoting sustainable travel opportunities and to comply with Policies CS2, CS7 and CS19 of the Knowsley Local Plan Core Strategy, adopted January 2016 and NPPF Para 110.

6. Notwithstanding submitted details prior to first occupation of each dwelling hereby permitted each dwelling shall be provided with cycle parking in accordance with a scheme which has been previously submitted to and approved in writing by the Local Planning Authority, and to Council cycle parking standards.

For the avoidance of doubt, long stay cycle parking must be covered and offer a means to secure the cycles.

The approved scheme shall be retained as such thereafter.

Reason: To ensure that adequate provision is made for parking cycles for each dwelling in the interests of sustainability and to comply with Policies CS2 and CS7 of the Knowsley Local Plan Core Strategy adopted January 2016.

7. In the event that contamination is found at any time when carrying out the approved development that was not previously identified it must be reported immediately to the Local Planning Authority. Development on the part of the site affected must be halted and a risk assessment carried out and submitted to and approved in writing by the Local Planning Authority. Where unacceptable risks are found remediation and verification schemes shall be submitted to and approved in writing by the Local Planning Authority. These shall be implemented prior to the development (or relevant phase of development) being brought into use.

Reason: In the interests of ground water and human safety and to comply with Policy CS2 of the Knowsley Local Plan Core Strategy adopted January 2016.

8. No soil is to be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development; a suitable methodology for testing this material should be submitted to and agreed by the Local Planning Authority prior to the soils being imported onto site. The methodology should include the sampling frequency, testing schedules, criteria against which the analytical results will be assessed (as determined by the risk assessment) and source material information. The analysis shall then be carried out and evidence submitted to and approved in writing to by the Local Planning Authority.

Reason: In the interests of ground water and human safety and to comply with Policy CS2 of the Knowsley Local Plan Core Strategy adopted January 2016.

9. Notwithstanding any description of materials in the application, within 1 month of the date of this planning permission samples and full specification of materials to be used externally on the buildings shall have been submitted to and approved in writing by the Local Planning Authority including window and door details together with meter cupboard positions and meter cupboard door details (including colour). Such details shall include the type, colour and texture of the materials. The development shall be carried out only in accordance with the agreed schedule of materials.

Reason: In the interests of visual amenity and to comply with Policies CS2 and CS19 of the Knowsley Local Plan Core Strategy adopted January 2016 and saved Policy H5 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

10. Notwithstanding any details shown on the approved drawings, no part of the development shall be occupied until full details of both hard and soft landscaping works have been submitted to and approved in writing by the Local Planning Authority.

The details shall relate to all land surfaces not built upon and shall include:

- a) land-levels and gradients resulting in the formation of any banks, terraces or other earthworks
- b) hard surfaced areas and materials,
- c) planting plans, specifications and schedules, planting size, species and numbers/densities, trees to be retained and a scheme for the timing / phasing of work.
- d) existing plants / trees to be retained
- e) a detailed regime for the ongoing and longer term maintenance of all soft landscaping is also required to be submitted for approval.

For the avoidance of doubt the scheme shall include bat and bird boxes to include location, height from ground, openings sizes and the appearance of the bat and bird boxes.

The approved landscaping works shall be implemented and completed prior to the occupation of the dwelling to which it relates unless otherwise agreed in writing by the Local Planning Authority.

Any trees or shrubs planted or retained in accordance with this condition which are removed, uprooted, destroyed, die or become severely damaged or become seriously diseased within 5 years of planting shall be replaced within the next planting season by trees or shrubs of similar size and species to those originally required to be planted.

Reason: To ensure that the site is satisfactorily landscaped having regard to its location and the nature of the proposed development, in the interests of bio-diversity and to comply with Policies CS8 and CS19 of the Knowsley Local Plan Core Strategy adopted January 2016 and saved Policy H5 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

11. Notwithstanding any submitted details prior to first occupation of the mid-terrace bungalow hereby permitted precise scheme details of a bin store or screen associated with the dwelling shall be submitted to and agreed in writing by the Local Planning Authority, and the agreed scheme implemented. The scheme shall provide measures for the storage of the requisite number of bins for the dwelling and shall be retained thereafter at all times that the dwelling is on site.

Reason: In the interests of visual and residential amenity and having regard to Policies CS2, CS19 and CS26 of the Knowsley Local Plan Core Strategy adopted January 2016 and saved Policies H5 and H8 of the Knowsley Replacement Unitary Development Plan.

12. No gates or other obstructions shall be placed across the vehicular accesses at any time that the dwellings are occupied.

Reason: To permit vehicles to pull clear of the highway entering the site in the interests of highway safety and to comply with Policies CS2, CS7 and CS19 of the Knowsley Local Plan Core Strategy adopted January 2016 and saved Policy H5 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

SCHEDULE 1

Date Received	Ref. No	Version	Drawing/Document Title
22/03/2021	L/P	-	Location Plan
26/03/2021	300	B	Approved and Proposed Site Plans
22/03/2021	200	B	Proposed Floor Plans and Elevations
22/03/2021	201	B	Proposed Plans/Specifications

REASON(S) FOR THE GRANTING OF PLANNING PERMISSION

The decision to grant planning permission has also been taken having regard to the policies and proposals as set out below, and to all relevant material considerations including supplementary planning guidance:-

KNOWSLEY LOCAL PLAN: CORE STRATEGY

CS1 - Spatial Strategy for Knowsley
CS2 - Development Principles
CS3 - Housing Supply, Delivery and Distribution
CS7 - Transport Networks
CS8 - Green Infrastructure
CS19 - Design Quality and Accessibility in New Development
CS26 - Waste Management

**SAVED POLICIES - KNOWSLEY REPLACEMENT UNITARY DEVELOPMENT PLAN
(ADOPTED JUNE 2006)**

H5 - Development within Primarily Residential Areas
H8 - Extensions and Alterations to Residential Properties
ENV2 - Noise and Vibration
DQ2 - Security in the Built Environment

This informative is only intended as a summary of the reason(s) for the granting of planning permission. Should you require any further details relating to the decision please contact the relevant case officer (Lee Osborne on 0151 443 2395)

ARTICLE 35 STATEMENT

The Local Planning Authority has acted positively and proactively in determining this application by identifying matters of concern within the application (as originally submitted) and negotiating with the applicant, acceptable amendments to the proposal to address those concerns. As a result, the Local Planning Authority has been able to grant planning permission for an acceptable proposal, in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

NOTE FOR APPLICANT:

**IMPORTANT - PLEASE READ CAREFULLY THE NOTES BELOW AS FAILURE TO COMPLY
COULD MAKE THE DEVELOPMENT HEREBY PERMITTED UNAUTHORISED**

- 1) This planning permission is granted in strict accordance with the approved plans. It should be noted however that:
 - a) Any variation from the approved plans following commencement of the development, irrespective of the degree of variation, will constitute unauthorised development and may be liable to enforcement action.
 - b) You or your agent or any other person responsible for implementing this permission should inform Planning Services immediately of any proposed variation from the approved plans and ask to be advised as to the best method to resolve the matter. Most proposals for variation to the approved plans will require the submission of a new planning application.
- 2) This permission is granted subject to conditions and it is the owner of the property and the person responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond.
- 3) If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent.
 - a) If a condition precedent is not complied with prior to the start of development, the whole of the development will be unauthorised and you may be liable to enforcement action.
 - b) In addition, if the requirements of a condition precedent are subsequently not complied with, the development is unauthorised and the only way to rectify the development is the submission of a new application.

If any other type of condition is breached then you will be liable to a breach of condition notice.

NOTE FOR APPLICANT: The applicant's attention is drawn to the following comments:

1. Highways Construction of Access

It is an offence to carry out any works within the public highway without the permission of the Highway Authority. This permission requires the construction, improvement or alteration of an access to the public highway. Under Section 184 of the Highways Act 1980, the Highway Authority must specify the works to be carried out. Only the Highway Authority or a contractor approved by the Highway Authority can carry out these works. Prior to the commencement of any works, the applicant is advised to contact the Council's Maintenance Contractor Tarmac on 0800 023 2334 or Knowsley.highways@tarmac.com

2 Please see attached letter from United Utilities

3 Please see attached letter from Merseyside Fire and Rescue Service



Executive Director - Regeneration and Economic Development

Date: 28 July 2021

IMPORTANT NOTES FOR YOUR ATTENTION:

1. This permission refers only to that required under the Town and Country Planning Acts and does not include any consent or approval under any other enactment, bylaw, order or regulation.
2. This permission refers only to those plans submitted as part of the Planning Application a copy of which is retained by the Local Planning Authority. The Local Planning Authority should be contacted in writing if it is proposed to amend these plans in any way as a further permission, may be required.
3. You should ensure that you understand the requirements of all planning conditions and that you fully comply with their requirements. If you are in any doubt about what a condition requires of you, please ask us for assistance. Planning conditions may require you to submit further information to us and await our approval before you can start your development. A failure to do so could result in your development being unlawful and necessitate the submission of a further planning application. A failure to comply with the conditions of the permission/consent may result in the taking of enforcement and potentially legal action, against you to remedy the breach of planning control.
4. A fee is normally payable to discharge planning conditions in accordance with government regulations.
5. This permission does not convey any rights or approval to build on, or develop, any land that is not fully owned or controlled by you, including on party boundaries. You should satisfy yourself that the agreement of any adjoining landowners has been given prior to commencing any building works.
6. If a Building Regulations Consent is required for these works it is your responsibility to ensure that the plans submitted for both the Building Regulations Consent and Planning Permission are the same in all respects. Should the plans relating to one consent vary from the other, it will be necessary for you to submit amended plans to this Department and obtain the relevant approval(s) prior to commencing any works. Knowsley Council's Building Control team are contactable on (0151)-443 2342 and they would be pleased to assist you.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- As this is a decision for a minor commercial application, if you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>.
If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

KMBC Planning Department
Municipal Buildings
Archway Road
Huyton
L36 9YU

dcconsultations@knowsley.gov.uk

**Merseyside Fire & Rescue Authority
Community Fire Protection**

Planning & Building Regulations Team
Service Headquarters
Bridle Road
Bootle
Merseyside
L30 4YD

Telephone: 0151 296 4000 (Calls may be recorded)

Inspecting Officer: John Hughes

Email: johnhughes@merseyfire.gov.uk

planningandbuildingregulationsteam@merseyfire.gov.uk

Fax: 0151 296 4594 Office Hours

Web Site: www.merseyfire.gov.uk

Your ref: 21/00267/FUL

Our ref:
CFP/41/01741/JH/CS

Date: 28th May 2021

Dear Sir/Madam

THE TOWN AND COUNTRY PLANNING ACT 1990

PLANNING APPLICATION NO: 21/00267/FUL

PROPOSAL: ERECTION OF 2 NO. TWO STOREY SEMI-DETACHED DWELLINGS

TOGETHER WITH ASSOCIATED WORKS

ADDRESS: 22 SMITHY CLOSE CRANTON KNOWSLEY

The Fire Authority requests that any decision notice includes the following information;

The plans relating to the above application have been examined and below are the Fire Authority's observations:

- * Access for fire appliances should comply with the requirements of Approved Document B5 of the Building Regulations.
- * Water supplies for fire fighting purposes should be risk assessed in accordance with the undermentioned guidance in liaison with the water undertakers (United Utilities - 0161 907 7351) with suitable and sufficient fire hydrants supplied.

*** Housing**

Housing developments with units of detached or semidetached houses of not more than two floors should have a water supply capable of delivering a minimum of eight litres per second through any single hydrant. Multi occupied housing developments with units of more than two floors should have a water supply capable of delivering a minimum of 20 to 35 litres per second through any single hydrant on the development.

- * The premises should comply with Section 55 of the County of Merseyside Act 1980

Should you require any further information in respect of this correspondence please contact the Officer named above.

Yours faithfully



Mr. Hughes
Authorised Fire Safety Inspecting Officer
And on behalf of Merseyside Fire & Rescue Authority

Guidelines on flow requirements for firefighting

The following flows represent the ideal requirements on new developments and during permanent system changes.

Housing

Housing developments with units of detached or semidetached houses of not more than two floors should have a water supply capable of delivering a minimum of eight litres per second through any single hydrant. Multi occupied housing developments with units of more than two floors should have a water supply capable of delivering a minimum of 20 to 35 litres per second through any single hydrant on the development.

Transportation

Lorry/coach parks - multi-storey car parks - service stations.

All of these amenities should have a water supply capable of delivering a minimum of 25 litres per second through any single hydrant on the development or within a vehicular distance of 90 metres from the complex.

Industry

The water supply infrastructure to any industrial estate should be as follows with the mains network on site being normally at least 150 mm nominal diameter—

Up to one hectare 20 litres per second.
One to two hectares 35 litres per second.
Two to three hectares 50 litres per second.
Over three hectares 75 litres per second.

Shopping, offices, recreation and tourism

Commercial developments of this type should have a water supply capable of delivering a minimum flow of 20 to 75 litres per second to the development site.

Education, health and community facilities

Village halls— Should have a water supply capable of delivering a minimum flow of 15 litres per second through any single hydrant on the development or within a vehicular distance of 100 metres from the complex.

Primary schools and single storey health centre's— Should have a water supply capable of delivering a minimum flow of 20 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.

Secondary schools, colleges, large health and community facilities— Should have a water supply capable of delivering a minimum flow of 35 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.

Knowsley MBC
PO Box 26, Yorkon Buildings Archway Road
Huyton, Knowsley
L36 9FB

Your ref: 21/00267/FUL
Our ref: DC/21/2094
Date: 14-MAY-21

Dear Sir/Madam,

Location: 22 Smithy Close, Cronton, Knowsley, WA8 5BT.
Proposal: Erection Of 2 No. Two Storey Semi-Detached Dwellings.

With regards to the above development proposal, United Utilities Water Limited ('United Utilities') wishes to provide the following comments.

Drainage

In accordance with the National Planning Policy Framework (NPPF) and the National Planning Practice Guidance (NPPG), the site should be drained on a separate system with foul water draining to the public sewer and surface water draining in the most sustainable way.

We request the following drainage conditions are attached to any subsequent approval to reflect the above approach:

Condition 1 – Surface water

No development shall commence until a surface water drainage scheme has been submitted to and approved in writing by the Local Planning Authority. The drainage scheme must include:

- (i) An investigation of the hierarchy of drainage options in the National Planning Practice Guidance (or any subsequent amendment thereof). This investigation shall include evidence of an assessment of ground conditions and the potential for infiltration of surface water;***
- (ii) A restricted rate of discharge of surface water agreed with the local planning authority (if it is agreed that infiltration is discounted by the investigations); and***
- (iii) A timetable for its implementation.***

The approved scheme shall also be in accordance with the Non-Statutory Technical Standards for Sustainable Drainage Systems (March 2015) or any subsequent replacement national standards.

The development hereby permitted shall be carried out only in accordance with the approved drainage scheme.

Reason: To promote sustainable development, secure proper drainage and to manage the risk of flooding and pollution.

Condition 2 – Foul water

Foul and surface water shall be drained on separate systems.

Reason: To secure proper drainage and to manage the risk of flooding and pollution.

The applicant can discuss any of the above with Developer Engineer, **Graham Perry**, by email at wastewaterdeveloperservices@uuplc.co.uk.

Please note, United Utilities are not responsible for advising on rates of discharge to the local watercourse system. This is a matter for discussion with the Lead Local Flood Authority and / or the Environment Agency (if the watercourse is classified as main river).

If the applicant intends to offer wastewater assets forward for adoption by United Utilities, the proposed detailed design will be subject to a technical appraisal by an Adoptions Engineer as we need to be sure that the proposal meets the requirements of Sewers for Adoption and United Utilities' Asset Standards. The detailed layout should be prepared with consideration of what is necessary to secure a development to an adoptable standard. This is important as drainage design can be a key determining factor of site levels and layout. The proposed design should give consideration to long term operability and give United Utilities a cost effective proposal for the life of the assets. Therefore, should this application be approved and the applicant wishes to progress a Section 104 agreement, we strongly recommend that no construction commences until the detailed drainage design, submitted as part of the Section 104 agreement, has been assessed and accepted in writing by United Utilities. Any works carried out prior to the technical assessment being approved is done entirely at the developers own risk and could be subject to change.

Management and Maintenance of Sustainable Drainage Systems

Without effective management and maintenance, sustainable drainage systems can fail or become ineffective. As a provider of wastewater services, we believe we have a duty to advise the Local Planning Authority of this potential risk to ensure the longevity of the surface water drainage system and the service it provides to people. We also wish to minimise the risk of a sustainable drainage system having a detrimental impact on the public sewer network should the two systems interact. We therefore recommend the Local Planning Authority include a condition in their Decision Notice regarding a management and maintenance regime for any sustainable drainage system that is included as part of the proposed development.

For schemes of 10 or more units and other major development, we recommend the Local Planning Authority consults with the Lead Local Flood Authority regarding the exact wording of any condition. You may find the below a useful example:

Prior to occupation of the development a sustainable drainage management and maintenance plan for the lifetime of the development shall be submitted to the local planning authority and agreed in writing. The sustainable drainage management and maintenance plan shall include as a minimum:

- a. Arrangements for adoption by an appropriate public body or statutory undertaker, or, management and maintenance by a resident's management company; and*
- b. Arrangements for inspection and ongoing maintenance of all elements of the sustainable drainage system to secure the operation of the surface water drainage scheme throughout its lifetime.*

The development shall subsequently be completed, maintained and managed in accordance with the approved plan.

Reason: To ensure that management arrangements are in place for the sustainable drainage system in order to manage the risk of flooding and pollution during the lifetime of the development.

Please note United Utilities cannot provide comment on the management and maintenance of an asset that is owned by a third party management and maintenance company. We would not be involved in the discharge of the management and maintenance condition in these circumstances.

Water Supply

If the applicant intends to obtain a water supply from United Utilities for the proposed development, we strongly recommend they engage with us at the earliest opportunity. If reinforcement of the water network is required to meet the demand, this could be a significant project and the design and construction period should be accounted for.

To discuss a potential water supply or any of the water comments detailed above, the applicant can contact the team at DeveloperServicesWater@uuplc.co.uk.

Please note, all internal pipework must comply with current Water Supply (water fittings) Regulations 1999.

United Utilities' Property, Assets and Infrastructure

Where United Utilities' assets exist, the level of cover to the water mains and public sewers must not be compromised either during or after construction.

For advice regarding protection of United Utilities assets, the applicant should contact the teams as follows:

Water assets – DeveloperServicesWater@uuplc.co.uk

Wastewater assets – WastewaterDeveloperServices@uuplc.co.uk

It is the applicant's responsibility to investigate the possibility of any United Utilities' assets potentially impacted by their proposals and to demonstrate the exact relationship between any United Utilities' assets and the proposed development.

A number of providers offer a paid for mapping service including United Utilities. To find out how to purchase a sewer and water plan from United Utilities, please visit the Property Searches website; <https://www.unitedutilities.com/property-searches/>

You can also view the plans for free. To make an appointment to view our sewer records at your local authority please contact them direct, alternatively if you wish to view the water and the sewer records at our Lingley Mere offices based in Warrington please ring [0370 751 0101](tel:03707510101) to book an appointment.

Due to the public sewer transfer in 2011, not all sewers are currently shown on the statutory sewer records and we do not always show private pipes on our plans. If a sewer is discovered during construction; please contact a Building Control Body to discuss the matter further.

Should this planning application be approved the applicant should contact United Utilities regarding a potential water supply or connection to public sewers. Additional information is available on our website <http://www.unitedutilities.com/builders-developers.aspx>

Yours faithfully

Shireen Lawrenson
Planning Analyst
Planning, Landscape and Ecology