









MANHOLE SCHEDULE

Sheet 1 of 1

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
	Depth To Soffit		Code	Inverts	Diams		Manhole	Cover	
F1	10.000		1	1.005	6.500	150	1200	1	D400
E. 345656.061	3.350								
N. 385848.978									
F2	10.100		1	1.004	6.727	150	1200	1	D400
E. 345673.359	3.223								
N. 385875.689			0	1.005	6.727	150			
F3	9.900		1	1.003	6.970	150	1200	3	D400
E. 345704.266	2.780								
N. 385856.362			0	1.004	6.970	150			
F4	9.980		1	2.000	7.022	150	1200	2	D400
E. 345710.503	2.808		2	1.002	7.022	150			
N. 385860.996			0	1.003	7.022	150			
F5	10.050		1	1.001	7.444	150	1200	3	D400
E. 345746.209	2.456								
N. 385913.246			0	1.002	7.444	150			
F6	10.350		1	1.000	7.804	150	1200	3	D400
E. 345776.753	2.396								
N. 385957.773			0	1.001	7.804	150			
F7	10.225						1200	4	D400
E. 345802.943	1.500								
N. 385995.939			0	1.000	8.575	150			
F8	10.057						1200	3	D400
E. 345722.753	2.674								
N. 385857.803			0	2.000	7.233	150			

REFER TO UNITED UTILITIES STANDARD DRAWINGS FOR CONSTRUCTION DETAILS

- STND/19/001A - DETAIL 1 -TYPE 1 MANHOLE
- STND/19/002A - DETAIL 2 -MANHOLE TYPE 2 AND INVERT ACCESS DETAIL
- STND/19/003A - DETAIL 3 - SHALLOW MH DETAIL FOR SMALL DIAMETER PIPES (MH TYPE 4)
- STND/19/004A - DETAIL 4 - SHALLOW SW MANHOLE DETAIL
- STND/19/005A - DETAIL 5 FLOW CONTROL MH DETAIL
- STND/19/007A - DETAIL 7- EXTERNAL BACKDROP DETAIL
- STND/19/008A - DETAIL 8 - PIPE BEDDING DETAIL
- STND/19/010A - DETAIL 10 - DETAIL 10 - VARIABLE MANHOLE GUIDANCE NOTES


ALL PRIVATE CONNECTIONS INTO ADOPTABLE SURFACE WATER MANHOLES WILL BE MADE AT SOFFIT LEVEL

ROCKER PIPES TO BE INSTALLED TO ALL MANHOLES AS DCG (THE CODE) AND UNITED UTILITIES REQUIREMENTS IN TABLE BELOW

ROCKER PIPE LENGTH	
PIPE DIAMETER	ROCKER LENGTH
225	600
300	600
375	600
450	600
525	600
600	600
675	1000
750	1000
825 +	1250

SUBJECT TO AGREEMENT UNDER SECTION 104 AGREEMENT

MINIMUM LENGTH OF CHANNEL CHAMBER "X" MIN. DIAMETER	
CHAMBER DIAMETER	"X" MIN. DIAMETER
1200	950
1500	1050
1800	1150
2100	1300
2400	1450
2700	1550
3000	1700



P01	31.03.2026	PRELIMINARY DRAWING ISSUE	JCM	JCM	JCM
REV	DATE	DESCRIPTION	BY	CHK	APP

DRAWING STATUS:	PRELIMINARY
-----------------	-------------

CLIENT:	MACROOFING
---------	------------

ARCHITECT:	ARCHITECTURAL EMPORIUM
------------	------------------------

PROJECT:	LAKESIDE VIEW, HALEWOOD LIVERPOOL
----------	-----------------------------------

TITLE:	F.W MANHOLE SCHEDULES
--------	-----------------------

STATUS:	PROJECT No:	PROJECT	ORIGINATOR	VOL	SYS	LEVEL	TYPE	ROLE	DRAWING No:	REV:
S3	225-268	LVH - AJP - ZZ - 00 -DR - C - 1011	P01							

SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:	DATE:
NTS	JCM	JCM	JCM	JCM	MARCH 2026