

architects
interior designers
strategy planners
quantity surveyors
principal designers


mersey design group Ltd
cleveland house
41 shaw street
liverpool L6 1HL

telephone: 0151 207 9431
facsimile: 0151 207 9447
e: info@mdg.design
w: www.mdg.design



Project Ref: 308-04

15/07/24



ALFRED H KNIGHT

Specification of Materials

LABORATORY PROCESS WASTE TREATMENT BUILDINGS

APPLICANT: Alfred H Knight
AHK Group Ltd

ADDRESS: John Knight Laboratory
Kings Business Park
Prescot L34




Description

Erection of 2No. laboratory process waste treatment buildings, replacement and relocation of store and waste compound - and associated landscaping works.


Plot A Enclosure & Waste Compound

- A. Walls / double doors: textured GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- B. Roof: textured GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- C. Surrounding ground: new tarmac to match existing surrounding surface [SEE IMAGE BELOW].
- D. Fenced / gated compound: 1800mm-high timber palisade fencing and hinged double gates to match existing compound [SEE IMAGE BELOW].
- E. Railings: galvanised steel Kee Klamp railings to match existing surrounding railings [SEE IMAGE BELOW].



Plot B Enclosure

- A. Walls / personnel door: matt GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- B. Roller Shutter: double-skinned, powder-coated insulated steel roller shutter door - RAL 7035 (Light Grey) [SEE IMAGE BELOW].
- C. Roof: matt GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- D. Drip-flashings: powder-coated steel [SEE IMAGE BELOW].
- E. Upstand fascias: smooth-finish anthracite grey Euroboard fascia [SEE IMAGE BELOW].
- F. Surrounding ground: new tarmac to match existing surrounding surface [SEE IMAGE BELOW].
- G. Ramps: reinforced concrete ramps to be brush finished [AS PER PLOT C].
- H. Railings: galvanised steel Kee Klamp railings to match existing surrounding railings [AS PER PLOT C].
- I. Rubber Wall Protection Strips: rubber, black and yellow [SEE IMAGE BELOW].



Plot C Enclosure

- A. Walls / personnel door: matt GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- B. Roller Shutter: double-skinned, powder-coated insulated steel roller shutter door. - RAL 7035 (Light Grey) [SEE IMAGE BELOW].
- C. Roof: matt GRP composite finish - RAL 7035 (Light Grey) to match existing surrounding outbuildings [SEE IMAGE BELOW].
- D. Drip-flashings: powder-coated steel [SEE IMAGE BELOW].
- E. Upstand fascias: smooth anthracite grey Euroboard fascia [SEE IMAGE BELOW].
- F. Surrounding ground: new tarmac to match existing surrounding surface [SEE IMAGE BELOW].
- G. Ramps: reinforced concrete ramps to be brush finished [SEE IMAGE BELOW].
- H. Railings: galvanised steel Kee Klamp railings to match existing surrounding railings [SEE IMAGE BELOW].
- I. Rubber Wall Protection Strips: rubber, black and yellow [SEE IMAGE BELOW].

