



Knowsley Council

**REGENERATION AND ECONOMIC DEVELOPMENT
DEPARTMENT**

TOWN AND COUNTRY PLANNING ACT 1990

PLANNING PERMISSION

Application No: 24/00576/FUL

Name and address of applicant

Mrs Jane Young
The Bracknell Centre
Bracknell Avenue
Southdene
Kirkby
Knowsley
L32 9PW

Name and address of agent

Designhouse
Oaktree Barn
Coppice Lane Disley
Cheshire
SK12 2LT

Date of Receipt: 23 October 2024

Date Valid: 18 December 2024

Address/Location Of Development:

**The Bracknell Centre
Bracknell Avenue
Southdene
Kirkby
Knowsley
L32 9PW**

Description of Development:

**DEMOLITION OF EXISTING PORTABLE TYPE BUILDING AND ERECTION OF
BUILDING PROVIDING 3 NO. CLASSROOMS, STORE AND WASHROOM
FACILITIES**

The Council of the Metropolitan Borough of Knowsley hereby give notice in pursuance of the above Act(s) that Planning Permission has been **granted** for the carrying out of the development referred to above in accordance with the application and plans submitted subject to the following condition(s):

1. The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason: In order to comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).

2. The development hereby permitted shall be carried out in accordance with the approved plans and documents listed in Schedule 1.

Reason: For the avoidance of doubt.

3. The development hereby permitted shall be constructed entirely of materials specifications / details of which are indicated in the application.

Reason: In the interests of visual amenity and to comply with the National Planning Policy Framework (2024), Saved Policy H5 of the Knowsley Replacement Unitary Development Plan, adopted in June 2006 and the Policies CS2 and CS19 of the Knowsley Local Plan: Core Strategy, adopted January 2016.

4. No roller shutters shall be fitted to external doors and windows unless precise scheme details have first been submitted to and agreed in writing by the Local Planning Authority.

Reason: In the interests of visual amenity and to comply with the National Planning Policy Framework (2024), Saved Policy H5 of the Knowsley Replacement Unitary Development Plan, adopted in June 2006 and the Policies CS2 and CS19 of the Knowsley Local Plan: Core Strategy, adopted January 2016.

5. No external lighting to be installed on the site in association with the approved development unless precise scheme details have first been submitted to and agreed in writing by the Local Planning Authority.

The details shall include, but not be limited to, the following:

- The type, number, and location of all external lighting fixtures.
- The design and appearance of the lighting fixtures.
- The intensity of illumination and the spread of light (including lux levels).
- Measures to minimize light spillage and glare, particularly to neighbouring properties and wildlife habitats.
- The operational hours of the lighting.

The approved external lighting scheme shall only be implemented in accordance with the approved details and shall be maintained as such thereafter.

Reason: To ensure that the external lighting is appropriate for the site and its surroundings, in the interest of visual and residential amenity and to comply with the National Planning Policy Framework (2024), Policies CS2 and CS19 of the Knowsley Local Plan: Core Strategy, adopted January 2016 and Saved Policy OS7 of the Knowsley Replacement Unitary Development Plan, adopted June 2006.

6. No construction work shall take place outside the hours of 08:00 - 18:00 hours Monday to Friday, 08:00- 13:00 hours Saturday and not at all on Sundays/Public Holidays without the prior written permission of the Local Planning Authority.

Reason: In the interests of protecting the amenity of neighbouring occupiers and to comply with the National Planning Policy Framework (2024), Saved Policies H5 and ENV2 of the Knowsley Replacement Unitary Development Plan adopted June 2006 and Policies CS2 and CS19 of the Knowsley Local Plan:Core Strategy adopted January 2016.

SCHEDULE 1

Date Received	Ref. No	Version	Drawing/Document Title
18/12/2024	AL3	-	LOCATION PLAN SCALE 1:1250 (PROPOSED)
18/12/2024	AL2	-	LOCATION PLAN SCALE 1:1250

31/01/2025	-	-	PIRANHA COMPOSITE SOLUTIONS SHADOW GAP CLADDING TECHNICAL SPECIFICATION
30/01/2025	-	-	EMAIL FROM AGENT - MATERIAL DETAILS / COLOURS
18/12/2024	AL4	-	PROPOSED SITE PLAN 1:500
18/12/2024	AL7	-	PROPOSED FLOOR PLANS AND ELEVATIONS
31/01/2025	AL1	-	LOCATION PLAN

REASON(S) FOR THE GRANTING OF PLANNING PERMISSION

The decision to grant planning permission has also been taken having regard to the policies and proposals as set out below, and to all relevant material considerations including supplementary planning guidance:-

National Planning Policy Framework

KNOWSLEY LOCAL PLAN: CORE STRATEGY

CS2 - Development Principles

CS7 - Transport Networks

CS19 - Design Quality and Accessibility in New Development

SAVED POLICIES - KNOWSLEY REPLACEMENT UNITARY DEVELOPMENT PLAN (ADOPTED JUNE 2006)

OS7 - Educational Uses and Sites

This informative is only intended as a summary of the reason(s) for the granting of planning permission. Should you require any further details relating to the decision please contact the relevant case officer (Maxine Wishart on 0151 443 2319)

ARTICLE 35 STATEMENT

The Local Planning Authority has acted positively and proactively in determining this application by assessing the proposal against all material considerations, including planning policies and any representations that may have been received and subsequently determining to grant planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

NOTE FOR APPLICANT:

IMPORTANT - PLEASE READ CAREFULLY THE NOTES BELOW AS FAILURE TO COMPLY COULD MAKE THE DEVELOPMENT HEREBY PERMITTED UNAUTHORISED

- 1) This planning permission is granted in strict accordance with the approved plans. It should be noted however that:
 - a) Any variation from the approved plans following commencement of the development, irrespective of the degree of variation, will constitute unauthorised development and may be liable to enforcement action.
 - b) You or your agent or any other person responsible for implementing this permission should inform Planning Services immediately of any proposed variation from the approved plans and ask to be advised as to the best method to resolve the matter. Most proposals for variation to the approved plans will require the submission of a new planning application.
- 2) This permission is granted subject to conditions and it is the owner of the property and the person responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond.

- 3) If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent.
 - a) If a condition precedent is not complied with prior to the start of development, the whole of the development will be unauthorised and you may be liable to enforcement action.
 - b) In addition, if the requirements of a condition precedent are subsequently not complied with, the development is unauthorised and the only way to rectify the development is the submission of a new application.

If any other type of condition is breached then you will be liable to a breach of condition notice.

NOTE FOR APPLICANT: The applicant's attention is drawn to the following comments:

1. Contaminated Land Advisory Note

Based on the information available to this division we are not aware of any contamination on this site. However, the responsibility to properly address contaminated land issues lies with the owner/developer of the site, irrespective of any involvement by this Authority.

The applicant/developer is requested to contact the Council's Environmental Protection Unit (Tel: 0151 443 4712) as soon as is practicable should contamination be encountered during the development of the site.

If contaminated material is encountered the applicant/developer is required to dispose of the contaminated arisings appropriately. They should also be aware of their health and safety responsibilities to workers in respect of handling such materials. The developer should also ensure that no pathways are created by which any contamination may either migrate off-site or affect site users.

The applicant should have regard to the following statement in Planning Policy Statement 23 (section 2.51) "As a minimum, after carrying out the development and commencement of its use, the land should not be capable of being determined as contaminated land under Part IIA of the EPA 1990."

Reporting of Unexpected Contamination

If contamination is found at any time when carrying out the approved development that was not previously identified it is advisable that the applicant report immediately to the Local Planning Authority. Development on the part of the site affected may have to halt until a risk assessment is completed and submitted to the Local Planning Authority.

Importation of Soil/Material

No soil is to be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development; a suitable methodology for testing this material should be submitted to and agreed by the Local Planning Authority prior to the soils being imported onto site. The methodology should include the sampling frequency, testing schedules, criteria against which the analytical results will be assessed (as determined by the risk assessment) and source material information. The analysis shall then be carried out and evidence submitted to and approved in writing to by the Local Planning Authority.

2. The comments of Merseyside Fire and Rescue Authority in their letter dated 7 January 2025 (attached).
3. The comments of United Utilities in their email dated 23 December 2024 (attached).
4. The comments and advice of the Merseyside Police Designing Out Crime Unit in their email of 16 January 2025 (attached).



Executive Director - Regeneration and Economic Development

Date: 5 February 2025

IMPORTANT NOTES FOR YOUR ATTENTION:

1. This permission refers only to that required under the Town and Country Planning Acts and does not include any consent or approval under any other enactment, bylaw, order or regulation.
2. This permission refers only to those plans submitted as part of the Planning Application a copy of which is retained by the Local Planning Authority. The Local Planning Authority should be contacted in writing if it is proposed to amend these plans in any way as a further permission, may be required.
3. You should ensure that you understand the requirements of all planning conditions and that you fully comply with their requirements. If you are in any doubt about what a condition requires of you, please ask us for assistance. Planning conditions may require you to submit further information to us and await our approval before you can start your development. A failure to do so could result in your development being unlawful and necessitate the submission of a further planning application. A failure to comply with the conditions of the permission/consent may result in the taking of enforcement and potentially legal action, against you to remedy the breach of planning control.
4. A fee is normally payable to discharge planning conditions in accordance with government regulations.
5. This permission does not convey any rights or approval to build on, or develop, any land that is not fully owned or controlled by you, including on party boundaries. You should satisfy yourself that the agreement of any adjoining landowners has been given prior to commencing any building works.
6. If a Building Regulations Consent is required for these works it is your responsibility to ensure that the plans submitted for both the Building Regulations Consent and Planning Permission are the same in all respects. Should the plans relating to one consent vary from the other, it will be necessary for you to submit amended plans to this Department and obtain the relevant approval(s) prior to commencing any works. Knowsley Council's Building Control team are contactable on (0151)-443 2342 and they would be pleased to assist you.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- As this is a decision for a minor commercial application, if you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>.
If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

Knowsley MBC
Planning Department
Municipal Buildings
Archway Road
Huyton
L36 9YU

Email:
dcconsultations@knowsley.gov.uk

**Merseyside Fire & Rescue Authority
Community Fire Protection**

Fire Engineering Team
Service Headquarters
Bridle Road
Bootle
Merseyside
L30 4YD

Telephone: 0151 296 6590 (Calls may be recorded)
Inspecting Officer: Rachel Holland
Email: fireengineeringteam@merseyfire.gov.uk
web Site: www.merseyfire.gov.uk

Your ref: 24/00576/FUL

Our ref:00432043/1254626/RH/LD

Date:7th January 2025

Dear Sir/Madam,

THE TOWN AND COUNTRY PLANNING ACT 1990
PLANNING APPLICATION NUMBER REF: 24/00576/FUL
PROPOSAL: DEMOLITION OF EXISTING PORTABLE TYPE BUILDING AND
ERECTION OF BUILDING PROVIDING 3 NO. CLASSROOMS STORE AND
WASHROOM FACILITIES
ADDRESS: The Bracknell Centre Bracknell Avenue Southdene

The Fire Authority requests that any decision notice includes the following information:

The plans relating to the above application have been examined and below are the Fire Authority's observations:

Access for Fire Fighting

- Access for fire appliances should comply with the requirements of Section B5, Schedule 1 of the Building Regulations. Provisions for access will depend on the size and use of the building. The design of the access route, for example minimum road widths and maximum reversing distances, should also be considered (Appendix A, attached).
- In accordance with Section 55 of the County of Merseyside Act 1980, the position of the premises should not compromise or impede existing means of fire service access to a neighbouring building.

Water Provision

- Water supplies for firefighting purposes should be risk assessed in accordance with the undermentioned guidance in liaison with the water undertakers (United Utilities - 0161 907 7351) with suitable and sufficient fire hydrants supplied.
- Consideration should be given to the recommendations within the 'National guidance document on the provision of water for firefighting', produced by the Local Government Association and Water UK, available for free download via: <https://www.water.org.uk/wp-content/uploads/2018/11/national-guidance-document-on-water-for-ffg-final.pdf>

Further information regarding access requirements can be found in the current version of Approved Document B, which is available for free download via:

<https://www.gov.uk/government/publications/fire-safety-approved-document-b>

Should you require any further information in respect of this correspondence please contact the Officer named above.

Yours faithfully

Rachel Holland

Authorised Fire Safety Inspecting Officer
And on behalf of Merseyside Fire and Rescue Authority

Appendix A - Access and Facilities for the Fire Service as given in Section B5 of Approved Document B

Domestic Dwellings

For dwelling houses, access for a pumping appliance should be provided to within 45m of all points inside the dwelling house.

For flats, either: access for a pumping appliance should be provided to within 45m of all points inside each flat of a block, measured along the route of the hose; or fire mains should be provided.

Commercial Buildings

Small buildings (up to 2000m², with a top occupied storey a maximum of 11m above ground level), require access for a pump appliance to 15% of the perimeter, or within 45m of every point of the footprint of the building, whichever is the less onerous.

Larger buildings will require access to a percentage of the perimeter that increases incrementally with size of the total floor area and height of building – please see details in Approved Document B Volume 2 Section 15.

Elevations to which vehicle access is provided will require a door, to give access into the building. The maximum distance between doors, or between a door and the end of the elevation, is 60m (i.e. a 150m elevation would need a minimum of two doors).

All Buildings

Access routes and hardstanding should comply with Table 13.1 ADB Volume 1 / Table 15.2 ADB Volume 2. Please note: MFRS appliances are 17 tonnes (pump) and 26 tonnes (high reach).

Dead-end access routes longer than 20m require turning facilities (e.g. a turning circle or hammer head, or other turning point).

Where fire mains are fitted, access should be provided for a pumping appliance to within 18m of each fire main inlet connection point. Inlets should be on the face of the building and visible from the parking position of the appliance. The run of horizontal internal connecting pipe should be a maximum of 18m in length.

Buildings with a storey more than 18m above the fire service vehicle access level, or a basement more than 10m below, should have one or more firefighting shafts containing fire-fighting lifts and fire mains (a minimum of two fire-fighting shafts will be required for buildings with a floor area of 900 m² or more).

Buildings in the 'shop and commercial', 'assembly and recreation' or 'industrial' purpose groups (Groups 4, 5, or 6), with a storey area of 900m² or more and a storey height of 7.5m or more above fire service vehicle access level will require at least two firefighting shafts (firefighting lifts may not be needed).

Entry to a firefighting shaft at fire service access level should be available either directly from the open air or by way of a protected corridor not exceeding 18m in length. The corridor is deemed to be part of the firefighting shaft, and any access to it from the accommodation should be by way of protected lobbies.

Hydrants

Where a building has a compartment with an area of more than 280m² and is being erected more than 100m from an existing fire hydrant, additional hydrants are required as follows:

Buildings with fire main – hydrant within 90m of dry fire main inlet;

Buildings without fire main – hydrant within 90m of an entrance to the building; and a maximum of 90m apart.

Good Afternoon Planning Officer,

Thankyou for consulting us on the below proposal.

24/00576/FUL	DEMOLITION OF EXISTING PORTABLE TYPE BUILDING AND ERECTION OF BUILDING PROVIDING 3 NO. CLASSROOMS, STORE AND WASHROOM FACILITIES	The Bracknell Centre Bracknell Avenue Southdene
--------------	--	---

The Merseyside Police Designing Out Crime Unit strongly advocate that all new and refurbishment developments be designed and constructed to Secured By Design security standards, using the SBD 'COMMERCIAL 2023 Design Guide specifications in place of the former 'Schools' recommendations. Further details about Secured By Design, including Design Guides and Security Specifications can be found at www.securedbydesign.com.

In order to prevent crime and disorder and to keep people safe and feeling safe, crime prevention strategies should be integrated into the design as early as possible to allow a layered approach to security to be effectively integrated into the final scheme. Making minor changes to the design or layout of the development now means it is less attractive to potential intruders and can reduce harm and the fear of crime for users of the buildings, visitors, and the overall community.

Independent academic research shows that SBD certified schemes experience less burglary, criminal damage, and vehicle crime.

If the applicant wishes to apply for an SBD award, I would be more than happy to discuss this further.

I would also like to make the below recommendations to the applicant for consideration, which are in line with SBD.

Climbing Aids	External downpipes can be used as informal climbing aids to access low roofs and upper floor windows and should be contained within a wall cavity to reduce this risk. If this is not possible, they should be either square or rectangular in section, flush fitted against the wall or housed within secure 2.4m high anti-climb metal shrouding. Bends in pipes and horizontal runs should be minimized as they can also create climbing platforms. Accessible pipework should be of a fire-resistant material. In addition, careful consideration should be given to the location of waste and salt bins, handrails, low walls, or other external furniture, which may facilitate easy access to upper floors and roofs.
Intruder Alarm System	Early detection and warning of unauthorised entry into buildings is imperative i.e. before the building envelope is breached. All commercial buildings should have a bespoke wireless or hardwired and monitored Intruder Alarm system installed to EN50131 (Grade 1-4) and comply with the National Police Chiefs Council Policy 'Guidelines on Police Requirements and Response to Security Systems'. The alarm installation company should be certified by the National Security Inspectorate (NSI) or Security Systems Alarm Inspection Board (SSAIB), as both organisations promote high standards of service within the

	security community. A risk assessment should identify whether the design of the alarm system incorporates a combination of internal passive infrared detectors, magnetic door and window contacts, break glass acoustic or vibration detectors, wall or ceiling sensor cable and personal attack facilities.
Roller Shutters	Roller Shutters should be fitted to external doors and windows (including service/loading areas) and should be tested and certified to LPS 1175: Issue 7/8 security standards and linked to the intruder alarm system. Roller Shutters assist in frustrating and preventing easy access to premises by offenders and should be fully secured when the business is not in use. Commercial premises in Merseyside are at an increased risk of being targeted for burglary and damage offences where roller shutters are not fitted.
Windows	Ground floor and other easily accessible windows including vulnerable sky lights should meet the requirements of LPS 1175 Issue 7/8, PAS 24:2022 (or equivalent/higher security standard), incorporate laminated glazing certified to BS EN 356 2000 rating P1A, and be fitted with 'restrictors' to prevent 'sneak-in' type offences.
Doors	As a minimum, all external door sets and those high-risk internal doors e.g. storerooms housing valuable items, CCTV equipment or cash etc. should be certified to LPS 1175 issue 8, SR2: PAS 24:2022; STS 201 or STS 202: Issue 3, BR2 or other equivalent/higher security standard. Glazing must include one pane of laminated glass that is securely fixed in accordance with the manufacturer's instructions and certified to BS EN 356 2000 rating P1A.
Emergency Exits	Emergency exit doors and stairwells can be vulnerable to intruder attack, anti-social behaviour, and criminal damage. Emergency door exit release devices, such as door panic latches and 'pad-bars' on doors that provide an important aid to egress in the event of an emergency have proven to be abused, rendering some buildings insecure for long periods of time. Therefore, these door sets should be free from external hardware, kept clear at all times and be illuminated to promote natural surveillance. Stairwells should ideally be restricted in accordance with local fire authority advice, well lit and covered by CCTV to maximise surveillance opportunities.

If I can be of any further help in this regard, please do not hesitate to contact me.

Kind Regards

Danii Wohler

Designing Out Crime Officer

PREV Designing Out Crime



Planning Ref: 24/00576/FUL

Location: DEMOLITION OF EXISTING PORTABLE TYPE BUILDING AND ERECTION OF BUILDING PROVIDING 3 NO. CLASSROOMS, STORE AND WASHROOM FACILITIES|The Bracknell Centre Bracknell Avenue Southdene Kirkby Knowsley L32 9PW

Please find below relevant information for the applicant.

United Utilities has no further comment on this application.

United Utilities' Property, Assets and Infrastructure

It is the applicant's responsibility to investigate the existence of any pipelines that might cross or impact their proposed site and also to demonstrate the exact relationship between United Utilities' assets and the proposed development.

We recommend the applicant visits our website for further information on how to investigate the existence of water and wastewater pipelines and what to do next if a pipeline crosses or is close to their red line boundary: [Working near our pipes - United Utilities](#)

United Utilities will not allow building over or in close proximity to a water main.

United Utilities will not allow a new building to be erected over or in close proximity to a public sewer or any other wastewater pipeline. Nb. Proposals to extend domestic properties either above, or in close proximity to a public sewer will be reviewed on a case by case basis by either by a building control professional or following a direct application to United Utilities.

Any construction activities in the vicinity of United Utilities' pipelines, including pipelines that may be outside the applicant's red line boundary, must comply with national building and construction standards and where applicable, our 'Standard Conditions for Works Adjacent to Pipelines' which can also be found on our website: [standard-conditions-for-works-adjacent-to-pipelines-issued-july-2015.pdf \(unitedutilities.com\)](#)

The level of cover to United Utilities pipelines and apparatus must not be compromised either during or after construction and there should be no additional load bearing capacity on pipelines without prior agreement from United Utilities. The applicant should not rely solely on the detail contained within asset maps when considering a proposed layout. Unless there is specific provision within the title of the property or an associated easement, any necessary disconnection or diversion of assets to accommodate development, will be at the applicant/developer's expense.

Where United Utilities' assets exist, it is essential that the applicant, or any subsequent developer, contacts our Developer Services team prior to commencing any works on site, including trial holes, groundworks or demolition.

DRAINAGE

We strongly encourage all developments to include sustainable drainage systems to help manage surface water and to offer new opportunities for wildlife to flourish. We request that Local Planning Authorities and applicants do all they can to avoid surface water entering the public sewer. The flows that come from this surface water are very large when compared with the foul water that comes from toilets, showers, baths, washing machines, etc. It is the surface water that uses up a lot of capacity in our sewers and results in the unnecessary pumping and treatment of surface water at our pumping stations and treatment works. If new developments

can manage flows through sustainable drainage systems that discharge to an alternative to the public sewer, it will help to minimise the likelihood of sewers spilling into watercourses and the flooding of homes and businesses.

National Planning Policy Framework (NPPF) and the National Planning Practice Guidance (NPPG) advise that surface water from new developments should be investigated and delivered in the following order of priority:

1. into the ground (infiltration);
2. to a surface water body;
3. to a surface water sewer, highway drain, or another drainage system;
4. to a combined sewer.

The applicant should consider their drainage plans in accordance with the drainage hierarchy outlined above.

In the event that the applicant, or any subsequent developer, approaches United Utilities regarding a connection for surface water to the public sewer, it is likely that we will request evidence that the drainage hierarchy has been fully investigated and why more sustainable options are not achievable. This will be managed through either our 'S106 Sewer Connections' or 'S104 Adoptions' processes.

WATER EFFICIENCY IN NEW DEVELOPMENT

Local planning authorities have the option to set additional technical requirements in respect of water use for the construction of new build dwellings, exceeding the minimum standards required by Building Regulations. All new homes are required to meet the mandatory national standard of 125 litres of water used per person per day as set out in Building Regulations Approved Document G. Where there is a clear local need, a local planning authority's development plan policies can require new-build dwellings to meet the tighter Building Regulations optional requirement of 110 litres of water used per person per day. If your adopted development plan includes a policy that implements the tighter water efficiency standard for new-build dwellings in Part 3 of Building Regulations, you should ensure that this is a condition of any planning permission you may grant. You should also consider whether there is any adopted development plan policy relating to a water efficiency in the construction of non-residential development. As this is a matter for the local planning authority / building control body, United Utilities would not be involved in the discharge of conditions relating to water efficiency.

CONTACT DETAILS FOR ANY QUERIES WHICH MAY RESULT FROM THIS EMAIL:

For applicants / developers:

Drainage / wastewater infrastructure: SewerAdoptions@uuplc.co.uk

Water supply / water infrastructure: DeveloperServicesWater@uuplc.co.uk

Local planning authorities / Planning Officers: Planning.Liaison@uuplc.co.uk

To enable us to answer enquiries as quickly as possible, we request enquiries are not sent to multiple mailboxes – this will delay our response.

The information contained in this e-mail is intended only for the individual to whom it is addressed. It may contain legally privileged or confidential information or otherwise be exempt from disclosure. If you have received this Message in error or there are any problems, please notify the sender immediately and delete the message from your computer. You must not use, disclose, copy or alter this message for any unauthorised purpose. Neither United Utilities Group PLC nor any of its subsidiaries will be liable for any direct, special, indirect or consequential damages as a result of any virus being passed on, or arising from the alteration of the contents of this message by a third party.

United Utilities Group PLC, Haweswater House, Lingley Mere
Business Park, Lingley Green Avenue, Great Sankey,
Warrington, WA5 3LP
Registered in England and Wales. Registered No 6559020