


Halewood LUF Leisure Centre – Paving Specification

PA1 Concrete Block Paving Mix 1


1. Standard: To [BS EN 1339](#).
 - 1.1. Manufacturer: [Hardscape Products Ltd](#) or similar approved
 - 1.1.1. Contact details
 - 1.1.1.1. Address: Eagley House
Deakins Business Park
Egerton
Bolton
Lancashire
United Kingdom
BL7 9RP
 - 1.1.1.2. Telephone: [+44 \(0\)1204 565500](tel:+441204565500)
 - 1.1.1.3. Web: www.hardscape.co.uk
 - 1.1.1.4. Email: enq@hardscape.co.uk
 - 1.1.2. Product reference: [Concrete Paving Newgrange](#) or similar approved
 - 1.2. Standard: To BS EN 1338.
 - 1.3. Physical properties
 - 1.3.1. Colour: Silver granite.
 - 1.3.2. Finish: Newgrange Flag.
 - 1.3.3. Profile
 - 1.3.3.1. Flag type: Square.
 - 1.3.4. Dimensions and associated tolerances
 - 1.3.4.1. Nominal sizes: 70mm Thick - 450x 450mm
 - 1.4. Third-party certification: CE marked.



Silver Granite

PA2 Concrete Block Paving Mix 2



1. Standard: To [BS EN 1339](#).
 - 1.1. Manufacturer: [Hardscape Products Ltd](#) or similar approved
 - 1.1.1. Contact details
 - 1.1.1.1. Address: Eagley House
Deakins Business Park
Egerton
Bolton
Lancashire
United Kingdom
BL7 9RP
 - 1.1.1.2. Telephone: [+44 \(0\)1204 565500](#)
 - 1.1.1.3. Web: [www.hardscape.co.uk](#)
 - 1.1.1.4. Email: [enq@hardscape.co.uk](#)
 - 1.1.2. Product reference: [Concrete Paving Newgrange](#) or similar approved
 - 1.2. Standard: To BS EN 1338.
 - 1.3. Physical properties
 - 1.3.1. Colour: Autumn Brown
 - 1.3.2. Finish: Newgrange Flag.
 - 1.3.3. Profile
 - 1.3.3.1. Flag type: Square.
 - 1.3.4. Dimensions and associated tolerances
 - 1.3.4.1. Nominal sizes: 70mm Thick - 450x450mm
 - 1.4. Third-party certification: CE marked.



Autumn Brown

PA3 Sett Paving Mix 1

1. Standard: To [BS EN 1339](#).
 - 1.1. Manufacturer: [Hardscape Products Ltd](#) or similar approved
 - 1.1.1. Contact details
 - 1.1.1.1. Address: Eagley House
Deakins Business Park
Egerton
Bolton
Lancashire
United Kingdom
BL7 9RP
 - 1.1.1.2. Telephone: [+44 \(0\)1204 565500](tel:+441204565500)
 - 1.1.1.3. Web: www.hardscape.co.uk
 - 1.1.1.4. Email: enq@hardscape.co.uk
 - 1.1.2. Product reference: [Concrete Paving](#) Inish or similar approved
 - 1.2. Standard: To BS EN 1338.
 - 1.3. Physical properties
 - 1.3.1. Colour: Silver granite (90%), Charcoal (10%)
 - 1.3.2. Finish: Inish Block.
 - 1.3.3. Profile
 - 1.3.3.1. Flag type: Rectangle.
 - 1.3.4. Dimensions and associated tolerances
 - 1.3.4.1. Nominal sizes: 80mm Thick - 200x50mm
 - 1.4. Third-party certification: CE marked.



Charcoal

Silver Granite

PA5 Grasscrete Paving Type A

1. Precast units

1.1. Manufacturer: [Hardscape Products Ltd](#) or similar approved

1.1.1. Contact details

1.1.1.1. Address: Eagley House
Deakins Business Park
Egerton
Bolton
Lancashire
United Kingdom
BL7 9RP

1.1.1.2. Telephone: +44 (0)1204 565500

1.1.1.3. Web: www.hardscape.co.uk

1.1.1.4. Email: enq@hardscape.co.uk

1.1.2. Product reference: [Hydro Lineo \(Hydro Lineo 22\)](#) or similar approved

1.2. Physical properties

1.2.1. Colour: Standard Zwart.

1.2.2. Profile

1.2.2.1. Paver type: Special shapes.



1.2.3. Dimensions

1.2.3.1. Plan size: 300 x 100 x 100 mm

1.2.3.2. Thickness (minimum): 100 mm.

1.3. Weight: 5.5 kg.

Permeability: 220 L/sec/ha.



Zwart (Black)

