

© Survey Operations Limited 2023

Reproduction in whole or in part by any means is prohibited without the prior permission of Survey Operations Limited.

N

Note:

The survey is plotted on a plane local Grid. Orientation to National Grid. All levels relate to Ordnance Datum, achieved using the OS National GPS Network.

Survey Control Markers established for Mapping purposes only and should not be used for Construction without the written approval of Survey Operations Ltd.

SURVEY STATIONS

Name	Easting	Northing	Height
SO1	344213.11	390969.75	36.53
SO2	344164.89	390933.59	34.77
SO3	344106.90	390889.28	32.82
SO4	344017.31	390824.70	31.30
SO5	344108.36	390766.76	35.76
SO6	344198.88	390672.05	38.84
SO8	344234.66	390755.20	38.35
SO9	344252.40	390810.65	36.90
SO14	344262.29	390712.44	38.51
SO15	344297.06	390736.38	38.15
SO16	344314.57	390792.71	36.75
SO17	344304.17	390817.72	36.51
SO18	344304.17	390870.10	36.54
SO19	344286.65	390938.10	37.00
SO20	344278.87	391002.29	38.02
SO21	344284.68	391038.40	39.65
SO22	344254.12	391005.34	38.23
SO23	344234.69	390984.24	37.32
MF1	343988.84	390825.53	31.10
MF2	344039.81	390869.77	31.55
MF3	344071.61	390892.75	32.27
MF4	344108.08	390907.04	33.00
MF5	344217.71	390948.63	36.81

STANDARD REFERENCE & ABBREVIATIONS

(AR)........Assumed Route
AB..........Air Brick
AV..........Air Valve
B/W.........Barbed Wire
BAR.........Barrier
BB..........Belisha Beacon
BH..........Borehole
BL..........Bed Level
BOL.........Bollard
BS..........Bus Stop
BT Box......British Telecom Box
BT..........British Telecom IC
BRTW........Brick Retaining Wall
BW..........Brick Wall
C/B.........Close Boarded
C/I.........Corrugated Iron
C/P.........Chestnut Paling
CB..........Control Box
CBW.........Concrete Block Wall
CCTV........Closed Circuit TV
CD..........Cable Duct
CEL.........Cellar Light
CH/L........Chain Link
CHY.........Chimney
CL..........Cover Level
CM..........Cable Marker
COL.........Column
CONC........Concrete
CP..........Catch Pit
CRTW........Concrete Retaining Wall
CTV.........Cable Television
CUL.........Culvert
CW..........Concrete Block Wall
DC..........Drainage Channel
DPC.........Damp Proof Course
DR..........Drain
DSW.........Dry Stone Wall
ECP.........Electricity Cable Pit
EIC.........Electricity Inspection Cover
EJ..........Expansion Joint
EJB.........Electricity Junction Box
EL SUB STN..Electricity Sub Station
EL..........Eaves Level
ELB.........Electricity Box
EP..........Electricity Pole
ER..........Earth Rod
ETL.........Electricity Transmission Line
FB..........Flower Bed
FH..........Fire Hydrant
FL..........Floor Level
FP..........Flagpole
G*.*........Girth (of tree)
G...........Gulley
GAB.........Gabion
GIP.........Gas Inlet Pipe
GMKR........Gas Marker
GST.........Gas Stop Tap (Domestic)
GSV.........Gas Stop Valve (Mains)
HSE.........Housing
Ht..........Height
HV..........High Voltage
I/R.........Iron Railing
IC..........Inspection Cover
IL..........Invert Level
IP..........Inlet Pipe
KO..........Kerb Outlet
LB..........Letter Box
LP..........Lamp Post
MG..........Multi-Girth
MH..........Manhole
MKR.........Marker
MP..........Mooring Point
NP..........Street Name Plate
O/H.........Overhead
O/P.........Open Paling
OE..........Overhead Electric Wire
OP..........Outfall Pipe
OSBM........Ordnance Survey Bench Mark
OT..........Overhead Telecom Wire
P/C.........Post & Chain
P/R.........Post & Rail
P/W.........Post & Wire
PAV.........Paving
PB..........Pillar Box
PC..........Pedestrian Crossing
PP..........Petrol Pump
PT..........Post or Pillar
RE..........Rodding Eye
RS..........Road Sign
RTW.........Retaining Wall
RWP.........Rain Water Pipe
SAP.........Sapling
SL..........Sump Level
SoL.........Soffit Level
SP..........Sign Post
SPL.........Springing Level
SRTW........Stone Retaining Wall
SV..........Stop Valve (unspecified)
SVP.........Soil Vent Pipe
SW..........Stone Wall
TAC.........Tactile Paving
TB..........Traffic Bollard
TBM.........Temporary Bench Mark
TCB.........Telephone Call Box
TFR.........Taken From Records
TIE.........Anchor Point (Masts/Poles)
TL..........Traffic Light
TLB.........Traffic Light Control Box
TM..........Ticket Machine
TMC.........Tarmac
TP..........Telecommunications Pole
TPIT........Trial Pit
TS..........Trash Screen
U/C.........Under Construction
U/G.........Underground
UTL.........Unable to Lift (MH,IC etc)
UTS.........Unable to Survey
VDP.........Vehicle Detector Pad
VP..........Vent Pipe
W/M.........Wire Mesh
WL..........Water Level
WM..........Water Meter
WO..........Wash Out
WP..........Waste Pipe
WST.........Water Stop Tap (domestic)
WSV.........Water Stop Valve (mains)



Sheet Layout

Survey Operations

Smith Street, Skelmersdale, Lancs. WN8 8LN
Tel: 01695 725662 Fax: 01695 51816
Email: mail@survops.co.uk — www.survops.co.uk

Client
Buro Happold Limted

Drawing Title
Topographical Survey of Land at:
Huyton Town Centre
Liverpool
Sheet 1 of 5

Scale(s)	1:200	Surveyor	SB/MF
Date	Aug 23	Drawn	DIF/OKS
Job Number	23F247	Checked	MG

Sheet Size & Drg Number & Revision
A0 23F247/001



© Survey Operations Limited 2023
Reproduction in whole or in part by any means is prohibited without the prior permission of Survey Operations Limited.

N

Note:
The survey is plotted on a plane local Grid. Orientation to National Grid.
All levels relate to Ordnance Datum, achieved using the OS National GPS Network.

Survey Control Markers established for Mapping purposes only and should not be used for Construction without the written approval of Survey Operations Ltd.

SURVEY STATIONS

Name	Easting	Northing	Height
SO1	344213.11	390969.75	36.53
SO2	344164.89	390933.59	34.77
SO3	344106.90	390889.28	32.82
SO4	344017.31	390824.70	31.30
SO5	344108.36	390766.76	35.76
SO6	344198.88	390672.05	38.84
SO8	344234.66	390755.20	38.35
SO9	344252.40	390810.65	36.90
SO14	344262.29	390712.44	38.51
SO15	344297.06	390736.38	38.15
SO16	344314.57	390792.71	36.75
SO17	344304.17	390817.72	36.51
SO18	344304.17	390870.10	36.54
SO19	344286.65	390938.10	37.00
SO20	344278.87	391002.29	38.02
SO21	344284.68	391038.40	39.65
SO22	344254.12	391005.34	38.23
SO23	344234.69	390984.24	37.32
MF1	343988.84	390825.53	31.10
MF2	344039.81	390869.77	31.55
MF3	344071.61	390892.75	32.27
MF4	344108.08	390907.04	33.00
MF5	344217.71	390948.63	36.81

STANDARD REFERENCE & ABBREVIATIONS

(AR)........Assumed Route	IL.........Invert Level
AB.........Air Brick	IP.........Inlet Pipe
AV.........Air Valve	KO.........Kerb Outlet
B/W........Barbed Wire	LB.........Letter Box
BAR........Barrier	LP.........Lamp Post
BB.........Belisha Beacon	MG.........Multi-Girth
BH.........Borehole	MH.........Manhole
BL.........Bed Level	MKR........Marker
BOL........Bollard	MP.........Mooring Point
BS.........Bus Stop	NP.........Street Name Plate
BT Box......British Telecom Box	O/H........Overhead
BT.........British Telecom IC	O/P........Open Paling
BRTW.......Brick Retaining Wall	OE.........Overhead Electric Wire
BW.........Brick Wall	OP.........Outfall Pipe
C/B........Close Boarded	OSBM.......Ordnance Survey Bench Mark
C/I........Corrugated Iron	OT.........Overhead Telecom Wire
C/P........Chestnut Paling	P/C........Post & Chain
CB.........Control Box	P/R........Post & Rail
CBW........Concrete Block Wall	P/W........Post & Wire
CCTV.......Closed Circuit TV	PAV........Paving
CD.........Cable Duct	PB.........Pillar Box
CEL........Cellar Light	PC.........Pedestrian Crossing
CH/L.......Chain Link	PP.........Petrol Pump
CHY........Chimney	PT.........Post or Pillar
CL.........Cover Level	RE.........Rodding Eye
CM.........Cable Marker	RS.........Road Sign
COL........Column	RTW........Retaining Wall
CONC.......Concrete	RWP........Rain Water Pipe
CP.........Catch Pit	SAP........Sapling
CRTW.......Concrete Retaining Wall	SL.........Sump Level
CTV........Cable Television	SoL........Soffit Level
CUL........Culvert	SP.........Sign Post
CW.........Concrete Block Wall	SPL........Springing Level
DC.........Drainage Channel	SRTW.......Stone Retaining Wall
DPC........Damp Proof Course	SV.........Stop Valve (unspecified)
DR.........Drain	SVP........Soil Vent Pipe
DSW........Dry Stone Wall	SW.........Stone Wall
ECP........Electricity Cable Pit	TAC........Tactile Paving
EIC........Electricity Inspection Cover	TB.........Traffic Bollard
EJ.........Expansion Joint	TBM........Temporary Bench Mark
EJB........Electricity Junction Box	TCB........Telephone Call Box
EL SUB STN..Electricity Sub Station	TFR........Taken From Records
EL.........Eaves Level	TIE........Anchor Point (Masts/Poles)
ELB........Electricity Box	TL.........Traffic Light
EP.........Electricity Pole	TLB........Traffic Light Control Box
ER.........Earth Rod	TM.........Ticket Machine
ETL........Electricity Transmission Line	TMC........Tarmac
FB.........Flower Bed	TP.........Telecommunications Pole
FH.........Fire Hydrant	TPIT.......Trial Pit
FL.........Floor Level	TS.........Trash Screen
FP.........Flagpole	U/C........Under Construction
G*.*.......Girth (of tree)	U/G........Underground
G..........Gulley	UTL........Unable to Lift (MH,IC etc)
GAB........Gabion	UTS........Unable to Survey
GIP........Gas Inlet Pipe	VDP........Vehicle Detector Pad
GMKR.......Gas Marker	VP.........Vent Pipe
GST........Gas Stop Tap (Domestic)	W/M........Wire Mesh
GSV........Gas Stop Valve (Mains)	WL.........Water Level
HSE........Housing	WM.........Water Meter
Ht.........Height	WO.........Wash Out
HV.........High Voltage	WP.........Waste Pipe
I/R........Iron Railing	WST........Water Stop Tap (domestic)
IC.........Inspection Cover	WSV........Water Stop Valve (mains)

1 2 3 4 5

Sheet Layout

Survey Operations
Smith Street, Skelmersdale, Lancs. WN8 8LN
Tel: 01695 725662 Fax: 01695 51816
Email: mail@survops.co.uk – www.survops.co.uk

Client
Buro Happold Limted

Drawing Title
Topographical Survey of Land at:
Huyton Town Centre
Liverpool
Sheet 2 of 5

Scale(s)	1:200	Surveyor	SB/MF
Date	Aug 23	Drawn	DIF/OKS
Job Number	23F247	Checked	MG

Sheet Size & Drg Number & Revision
A0 23F247/002

BRIAR DRIVE
POPLAR BANK
PRIORY COURT
POPLAR HOUSE
ASDA PETROL STATION
TARMAC CAR PARK
PAVIORS
GRASS
TARMAC
CONC
BUSHES
VEGETATION
STUMP
SO4
SO5
MF1
PEDESTRIAN CROSSING
RIDGE 37.82
EAVES 30.83
RIDGE 48.20
EAVES 42.54
EAVES 46.11
No.1
No.38
RIDGE 38.91
EAVES 30.60
ONE WAY SYSTEM
CLOSED TO TRAFFIC
ORANGE CONE
ORANGE BARRIER
CCTV
LP1
LP2
LP3
LP4
LP5
LP6
LP7
LP8
LP9
LP10
LP11
LP12
LP13
LP14
LP15
LP16
LP17
LP18
LP19
LP20
LP21
LP22
LP23
LP24
LP25
LP26
LP27
LP28
LP29
LP30
LP31
LP32
LP33
LP34
LP35
LP36
LP37
LP38
LP39
LP40

© Survey Operations Limited 2023
Reproduction in whole or in part by any means is prohibited without the prior permission of Survey Operations Limited.

N

Note:

The survey is plotted on a plane local Grid. Orientation to National Grid. All levels relate to Ordnance Datum, achieved using the OS National GPS Network.

Survey Control Markers established for Mapping purposes only and should not be used for Construction without the written approval of Survey Operations Ltd.

SURVEY STATIONS

Name	Easting	Northing	Height
SO1	344213.11	390969.75	36.53
SO2	344164.89	390933.59	34.77
SO3	344106.90	390889.28	32.82
SO4	344017.31	390824.70	31.30
SO5	344108.36	390766.76	35.76
SO6	344198.88	390672.05	38.84
SO8	344234.66	390755.20	38.35
SO9	344252.40	390810.65	36.90
SO14	344262.29	390712.44	38.51
SO15	344297.06	390736.38	38.15
SO16	344314.57	390792.71	36.75
SO17	344304.17	390817.72	36.51
SO18	344304.17	390870.10	36.54
SO19	344286.65	390938.10	37.00
SO20	344278.87	391002.29	38.02
SO21	344284.68	391038.40	39.65
SO22	344254.12	391005.34	38.23
SO23	344234.69	390984.24	37.32
MF1	343988.84	390825.53	31.10
MF2	344039.81	390869.77	31.55
MF3	344071.61	390892.75	32.27
MF4	344108.08	390907.04	33.00
MF5	344217.71	390948.63	36.81

STANDARD REFERENCE & ABBREVIATIONS

(AR)........Assumed Route	IL.........Invert Level
AB.........Air Brick	IP.........Inlet Pipe
AV.........Air Valve	KO.........Kerb Outlet
B/W........Barbed Wire	LB.........Letter Box
BAR........Barrier	LP.........Lamp Post
BB.........Belisha Beacon	MG.........Multi-Girth
BH.........Borehole	MH.........Manhole
BL.........Bed Level	MKR........Marker
BOL........Bollard	MP.........Mooring Point
BS.........Bus Stop	NP.........Street Name Plate
BT Box......British Telecom Box	O/H........Overhead
BT.........British Telecom IC	O/P........Open Paling
BRTW........Brick Retaining Wall	OE.........Overhead Electric Wire
BW.........Brick Wall	OP.........Outfall Pipe
C/B........Close Boarded	OSBM........Ordnance Survey Bench Mark
C/I........Corrugated Iron	OT.........Overhead Telecom Wire
C/P........Chestnut Paling	P/C........Post & Chain
CB.........Control Box	P/R........Post & Rail
CBW........Concrete Block Wall	P/W........Post & Wire
CCTV.......Closed Circuit TV	PAV........Paving
CD.........Cable Duct	PB.........Pillar Box
CEL........Cellar Light	PC.........Pedestrian Crossing
CH/L.......Chain Link	PP.........Petrol Pump
CHY........Chimney	PT.........Post or Pillar
CL.........Cover Level	RE.........Rodding Eye
CM.........Cable Marker	RS.........Road Sign
COL........Column	RTW........Retaining Wall
CONC.......Concrete	RWP........Rain Water Pipe
CP.........Catch Pit	SAP........Sapling
CRTW.......Concrete Retaining Wall	SL.........Sump Level
CTV........Cable Television	SoL........Soffit Level
CUL........Culvert	SP.........Sign Post
CW.........Concrete Block Wall	SPL........Springing Level
DC.........Drainage Channel	SRTW.......Stone Retaining Wall
DPC........Damp Proof Course	SV.........Stop Valve (unspecified)
DR.........Drain	SVP........Soil Vent Pipe
DSW........Dry Stone Wall	SW.........Stone Wall
ECP........Electricity Cable Pit	TAC........Tactile Paving
EIC........Electricity Inspection Cover	TB.........Traffic Bollard
EJ.........Expansion Joint	TBM........Temporary Bench Mark
EJB........Electricity Junction Box	TCB........Telephone Call Box
EL SUB STN..Electricity Sub Station	TFR........Taken From Records
EL.........Eaves Level	TIE........Anchor Point (Masts/Poles)
ELB........Electricity Box	TL.........Traffic Light
EP.........Electricity Pole	TLB........Traffic Light Control Box
ER.........Earth Rod	TM.........Ticket Machine
ETL........Electricity Transmission Line	TMC........Tarmac
FB.........Flower Bed	TP.........Telecommunications Pole
FH.........Fire Hydrant	TPIT.......Trial Pit
FL.........Floor Level	TS.........Trash Screen
FP.........Flagpole	U/C........Under Construction
G*.*.......Girth (of tree)	U/G........Underground
G..........Gulley	UTL........Unable to Lift (MH,IC etc)
GAB........Gabion	UTS........Unable to Survey
GIP........Gas Inlet Pipe	VDP........Vehicle Detector Pad
GMKR.......Gas Marker	VP.........Vent Pipe
GST........Gas Stop Tap (Domestic)	W/M........Wire Mesh
GSV........Gas Stop Valve (Mains)	WL.........Water Level
HSE........Housing	WM.........Water Meter
Ht.........Height	WO.........Wash Out
HV.........High Voltage	WP.........Waste Pipe
I/R........Iron Railing	WST........Water Stop Tap (domestic)
IC.........Inspection Cover	WSV........Water Stop Valve (mains)



Sheet Layout

Survey Operations
Smith Street, Skelmersdale, Lancs. WN8 8LN
Tel: 01695 725662 Fax: 01695 51816
Email: mail@survops.co.uk — www.survops.co.uk

Client
Buro Happold Limted

Drawing Title
Topographical Survey of Land at:
Huyton Town Centre
Liverpool
Sheet 4 of 5

Scale(s)	1:200	Surveyor	SB/MF
Date	Aug 23	Drawn	DIF/OKS
Job Number	23F247	Checked	MG

Sheet Size & Drg Number & Revision
A0 23F247/004

© Survey Operations Limited 2023
Reproduction in whole or in part by any means is prohibited without the prior permission of Survey Operations Limited.



Note:
The survey is plotted on a plane local Grid. Orientation to National Grid.
All levels relate to Ordnance Datum, achieved using the OS National GPS Network.

Survey Control Markers established for Mapping purposes only and should not be used for Construction without the written approval of Survey Operations Ltd.

SURVEY STATIONS

Name	Easting	Northing	Height
SO1	344213.11	390969.75	36.53
SO2	344164.89	390933.59	34.77
SO3	344106.90	390889.28	32.82
SO4	344017.31	390824.70	31.30
SO5	344108.36	390766.76	35.76
SO6	344198.88	390672.05	38.84
SO8	344234.66	390755.20	38.35
SO9	344252.40	390810.65	36.90
SO14	344262.29	390712.44	38.51
SO15	344297.06	390736.38	38.15
SO16	344314.57	390792.71	36.75
SO17	344304.17	390817.72	36.51
SO18	344304.17	390870.10	36.54
SO19	344286.65	390938.10	37.00
SO20	344278.87	391002.29	38.02
SO21	344284.68	391038.40	39.65
SO22	344254.12	391005.34	38.23
SO23	344234.69	390984.24	37.32
MF1	343988.84	390825.53	31.10
MF2	344039.81	390869.77	31.55
MF3	344071.61	390892.75	32.27
MF4	344108.08	390907.04	33.00
MF5	344217.71	390948.63	36.81

STANDARD REFERENCE & ABBREVIATIONS

(AR)........Assumed Route
AB..........Air Brick
AV..........Air Valve
B/W.........Barbed Wire
BAR.........Barrier
BB..........Belisha Beacon
BH..........Borehole
BL..........Bed Level
BOL.........Bollard
BS..........Bus Stop
BT Box......British Telecom Box
BT..........British Telecom IC
BRTW........Brick Retaining Wall
BW..........Brick Wall
C/B.........Close Boarded
C/I.........Corrugated Iron
C/P.........Chestnut Paling
CB..........Control Box
CBW.........Concrete Block Wall
CCTV........Closed Circuit TV
CD..........Cable Duct
CEL.........Cellar Light
CH/L........Chain Link
CHY.........Chimney
CL..........Cover Level
CM..........Cable Marker
COL.........Column
CONC........Concrete
CP..........Catch Pit
CRTW........Concrete Retaining Wall
CTV.........Cable Television
CUL.........Culvert
CW..........Concrete Block Wall
DC..........Drainage Channel
DPC.........Damp Proof Course
DR..........Drain
DSW.........Dry Stone Wall
ECP.........Electricity Cable Pit
EIC.........Electricity Inspection Cover
EJ..........Expansion Joint
EJB.........Electricity Junction Box
EL SUB STN..Electricity Sub Station
EL..........Eaves Level
ELB.........Electricity Box
EP..........Electricity Pole
ER..........Earth Rod
ETL.........Electricity Transmission Line
FB..........Flower Bed
FH..........Fire Hydrant
FL..........Floor Level
FP..........Flagpole
G*.*........Girth (of tree)
G...........Gulley
GAB.........Gabion
GIP.........Gas Inlet Pipe
GMKR........Gas Marker
GST.........Gas Stop Tap (Domestic)
GSV.........Gas Stop Valve (Mains)
HSE.........Housing
Ht..........Height
HV..........High Voltage
I/R.........Iron Railing
IC..........Inspection Cover
IL..........Invert Level
IP..........Inlet Pipe
KO..........Kerb Outlet
LB..........Letter Box
LP..........Lamp Post
MG..........Multi-Girth
MH..........Manhole
MKR.........Marker
MP..........Mooring Point
NP..........Street Name Plate
O/H.........Overhead
O/P.........Open Paling
OE..........Overhead Electric Wire
OP..........Outfall Pipe
OSBM........Ordnance Survey Bench Mark
OT..........Overhead Telecom Wire
P/C.........Post & Chain
P/R.........Post & Rail
P/W.........Post & Wire
PAV.........Paving
PB..........Pillar Box
PC..........Pedestrian Crossing
PP..........Petrol Pump
PT..........Post or Pillar
RE..........Rodding Eye
RS..........Road Sign
RTW.........Retaining Wall
RWP.........Rain Water Pipe
SAP.........Sapling
SL..........Sump Level
SoL.........Soffit Level
SP..........Sign Post
SPL.........Springing Level
SRTW........Stone Retaining Wall
SV..........Stop Valve (unspecified)
SVP.........Soil Vent Pipe
SW..........Stone Wall
TAC.........Tactile Paving
TB..........Traffic Bollard
TBM.........Temporary Bench Mark
TCB.........Telephone Call Box
TFR.........Taken From Records
TIE.........Anchor Point (Masts/Poles)
TL..........Traffic Light
TLB.........Traffic Light Control Box
TM..........Ticket Machine
TMC.........Tarmac
TP..........Telecommunications Pole
TPIT........Trial Pit
TS..........Trash Screen
U/C.........Under Construction
U/G.........Underground
UTL.........Unable to Lift (MH,IC etc)
UTS.........Unable to Survey
VDP.........Vehicle Detector Pad
VP..........Vent Pipe
W/M.........Wire Mesh
WL..........Water Level
WM..........Water Meter
WO..........Wash Out
WP..........Waste Pipe
WST.........Water Stop Tap (domestic)
WSV.........Water Stop Valve (mains)



Sheet Layout

Survey Operations
Smith Street, Skelmersdale, Lancs. WN8 8LN
Tel: 01695 725662 Fax: 01695 51816
Email: mail@survops.co.uk — www.survops.co.uk

Client
Buro Happold Limited

Drawing Title
Topographical Survey of Land at:
Huyton Town Centre
Liverpool
Sheet 5 of 5

Scale(s)	1:200	Surveyor	SB/MF
Date	Aug 23	Drawn	DIF/OKS
Job Number	23F247	Checked	MG

Sheet Size & Drg Number & Revision
A0 23F247/005