



Knowsley Council

**REGENERATION AND ECONOMIC DEVELOPMENT
DEPARTMENT**

TOWN AND COUNTRY PLANNING ACT 1990

PLANNING PERMISSION

Application No: 23/02744/FUL

Name and address of applicant

Tower Hill ABC
Heathfield Drive
Tower Hill
Kirkby
Knowsley
L33 1WU

Name and address of agent

Group D Architects
4 St Paul's Square, Group D Architects
Avenue HQ
Liverpool
L3 9SJ

Date of Receipt: 25 October 2023

Date Valid: 16 January 2024

Address/Location Of Development:

Tower Hill ABC
Heathfield Drive
Tower Hill
Kirkby
Knowsley
L33 1WU

Description of Development:

DEMOLITION OF EXISTING BOXING CLUB BUILDING AND ERECTION OF REPLACEMENT TWO STOREY BUILDING, INCLUDING AIR SOURCE HEAT PUMP, WELLNESS CABIN, NEW CAR PARK AND NEW ACCESS

The Council of the Metropolitan Borough of Knowsley hereby give notice in pursuance of the above Act(s) that Planning Permission has been **granted** for the carrying out of the development referred to above in accordance with the application and plans submitted subject to the following condition(s):

1. The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason: In order to comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).

2. The development hereby permitted shall be carried out in accordance with the following approved plans and documents:-
 - a. Roof Plan 2023 CO 120 B (received 10/01/2024)
 - b. 1st Floor Layout Plan 2023 CO 110 B (received 10/01/2024)

- c. Ground Floor Layout Plan 2023 CO 100 B (received 10/01/2024)
- d. Proposed Site Plan 2023 CO 001 A (received 10/01/2024)
- e. Proposed Elevations 2023 CO 201 B (received 10/01/2024)
- f. Location Plan L01 (received 12/01/2024).

Reason: For the avoidance of doubt.

- 3. A Phase I site investigation shall be submitted for written approval prior to works commencing in order to establish whether there are any concerns of contamination from the current or previous use of the site or adjacent sites. This report shall include the results of a desk study, site walkover, and human health and environmental risk assessment. If identified as necessary by the desk study, a Phase 2 site investigation and remediation proposals shall be submitted for approval prior to works commencing. In any event the applicant/developer is requested to contact the Councils Environmental Health Service (Tel: 0151 443 4267/4266) as soon as is practicable should previously unsuspected contamination be encountered during the development of the site. A site completion report shall be submitted for written approval prior to occupation confirming that encountered site conditions were as expected and detailing any necessary remedial actions.

Reason: In order to prevent harm to human health.

- 4. Development shall not commence until a scheme has been submitted to and approved in writing by the local planning authority which specifies the provisions to be made for the control of noise emanating from the site. The scheme shall be based on the results of a noise assessment which suitably characterises the noise climate at nearby residential dwellings both prior to and following the operation of the development permitted.

The following noise levels shall be met after implementation of the scheme;

For fixed plant, the rating level of noise emitted from the site, measured at the closest boundary of the nearest residential dwellings shall be at least 5dB(A) below the existing background level. For other operations on site the rating level of noise shall not exceed the existing background level at the positions described above. Measurement and assessment shall be made according to British Standard BS 4142:2014.

All works which form part of the scheme shall be implemented in full in accordance with the scheme as agreed. Documentary evidence of the works shall be submitted to and approved in writing by the Local Planning Authority prior to first use of the development.

Reason: In order to avoid harmful noise impacts on neighbouring properties.

- 5. Prior to the commencement of construction, a lighting scheme which includes the steps necessary to minimise light intrusion to local dwellings shall be submitted for the written approval of the local planning authority. The scheme shall include an Isolux plot to demonstrate that the obtrusive light limitations suggested in the Institution of Lighting Engineers Guidance Notes for Light Pollution are met. All works which form part of the scheme shall be completed prior to operation and shall be maintained thereafter in accordance with the agreed scheme.

Reason: In order to avoid harmful lighting impacts on neighbouring properties.

- 6. No part of the development hereby permitted shall be commenced until a construction / Demolition Management Plan has been submitted to and agreed in

writing by the Local Planning Authority that details the means of mitigation of construction / demolition effects. This shall include but not be limited to the following:

- Methods for the mitigation of noise and vibration from building works, including any piling works, and also from the operation of any temporary power generation or pumping plant which will operate overnight.
- Methods for dust control and suppression.
- Details of wheel washing facilities including location and type.
- The areas for the storage of plant and materials.
- Location of site compound.
- Details of relevant pest control measures to be taken during both the construction and demolition phases.

Reason: In order to avoid harmful lighting impacts on neighbouring properties.

7. Prior to the implementation of any landscaping or the removal of trees from the site a scheme for replacement tree planting shall be submitted to and approved in writing by the Local Planning Authority. The submitted scheme shall include tree replacement for individual and groups of trees on a 2:1 basis. The scheme should include the location, size and species of the replacement trees.

The tree planting shall be wholly implemented in its finally approved form in accordance with the approved scheme within the first available planting season following the substantial completion of development. Any tree or other planting which is lost, felled, removed, becomes diseased, or is substantially damaged within a period of five years thereafter shall be replaced in kind during the first available planting season following the date of loss or damage.

Reason: In the interests of visual amenity and to ensure the development complies with Saved Policy DQ4 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

8. The building shall not be occupied until a scheme for the provision of cycle and motorcycle parking, in accordance with the Council's current standards, has been submitted to and approved in writing by the Council as Local Planning Authority. The scheme shall be implemented as approved before any part of the development is brought into use and shall be retained as such thereafter. For the avoidance of doubt, long stay cycle parking must be covered and offer a means to secure the cycles.

Reason: To ensure that adequate provision is made for parking cycles and motorcycles on the site and to comply with Policy CS7 of the Core Strategy, adopted January 2016.

9. The development shall not be brought into use until the areas indicated on Site Plan Drawing 23023 CO 001 A be set aside for parking, servicing, vehicular manoeuvring (including provision for pedestrians/cyclists) have been surfaced, drained and permanently marked out or demarcated in accordance with the details and specifications shown. These areas shall be retained as such thereafter.

Reason: In the interests of highway and pedestrian safety and to comply with Policy CS7 of the Core Strategy, adopted January 2016.

10. No construction / demolition work shall take place outside the hours of 08:00-18:00 hours Monday to Friday, 08:00-13:00 hours Saturday and not at all on Sundays/Public Holidays.

Reason: To protect neighbours from noise.

REASON(S) FOR THE GRANTING OF PLANNING PERMISSION

The decision to grant planning permission has also been taken having regard to the policies and proposals as set out below, and to all relevant material considerations including supplementary planning guidance:-

KNOWSLEY LOCAL PLAN: CORE STRATEGY

CS2 - Development Principles

CS7 - Transport Networks

CS12 - Principal Regeneration Area - Tower Hill

CS19 - Design Quality and Accessibility in New Development

CS21 - Greenspaces and Trees

This informative is only intended as a summary of the reason(s) for the granting of planning permission. Should you require any further details relating to the decision please contact the relevant case officer (Andrew Hunt on 0151 443 2204)

ARTICLE 35 STATEMENT

The Local Planning Authority has acted positively and proactively in determining this application by assessing the proposal against all material considerations, including planning policies and any representations that may have been received and subsequently determining to grant planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

NOTE FOR APPLICANT:

IMPORTANT - PLEASE READ CAREFULLY THE NOTES BELOW AS FAILURE TO COMPLY COULD MAKE THE DEVELOPMENT HEREBY PERMITTED UNAUTHORISED

- 1) This planning permission is granted in strict accordance with the approved plans. It should be noted however that:
 - a) Any variation from the approved plans following commencement of the development, irrespective of the degree of variation, will constitute unauthorised development and may be liable to enforcement action.
 - b) You or your agent or any other person responsible for implementing this permission should inform Planning Services immediately of any proposed variation from the approved plans and ask to be advised as to the best method to resolve the matter. Most proposals for variation to the approved plans will require the submission of a new planning application.
- 2) This permission is granted subject to conditions, and it is the owner of the property and the person responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond.
- 3) If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent.
 - a) If a condition precedent is not complied with prior to the start of development, the whole of the development will be unauthorised, and you may be liable to enforcement action.
 - b) In addition, if the requirements of a condition precedent are subsequently not complied with, the development is unauthorised and the only way to rectify the development is the submission of a new application.

If any other type of condition is breached, then you will be liable to a breach of condition notice.

Informatives

1. The applicant is reminded that it is an offence to allow material carried from the site to be deposited on or cause damage to the highway, as a result of dirty wheels or badly loaded vehicles. Should this occur, the Council as Local Highway Authority will seek to recover any expenses incurred in clearing, cleaning or repairing highway surfaces and will prosecute offenders under Sections 131, 148 and 149 of the Highways Act 1980.

It is an offence to carry out any works within the public highway without the permission of the Highway Authority. This permission requires the construction, improvement or alteration of an access to the public highway. Under Section 184 of the Highways Act 1980, the Highway Authority must specify the works to be carried out. Only the Highway Authority or a contractor approved by the Highway Authority can carry out these works. Prior to the commencement of any works, the applicant is advised to contact the Council's Maintenance Contractor Tarmac on 0800 023 2334 or Knowsley.highways@tarmac.com

The relocation of existing street lighting columns on the adopted highway would need to be funded by the developer and dealt with as part of a highway agreement. The relocation of any existing street lighting columns will need to be undertaken/agreed by the Street Lighting and Signing PFI Contract Service Provider. The applicant is advised to contact SiteDevelopment@knowsley.gov.uk

2. It is the applicant's responsibility to investigate the existence of any pipelines that might cross or impact their proposed site and also to demonstrate the exact relationship between United Utilities' assets and the proposed development. The applicant should not rely solely on the detail contained within asset maps when considering a proposed layout.
3. Please see attached comments from Mersey Fire and Rescue

Executive Director - Regeneration and Economic Development

Date: 14 February 2024

IMPORTANT NOTES FOR YOUR ATTENTION:

- 1. This permission refers only to that required under the Town and Country Planning Acts and does not include any consent or approval under any other enactment, bylaw, order or regulation.**
- 2. This permission refers only to those plans submitted as part of the Planning Application a copy of which is retained by the Local Planning Authority. The Local Planning Authority should be contacted in writing if it is proposed to amend these plans in any way as a further permission, may be required.**
- 3. You should ensure that you understand the requirements of all planning conditions and that you fully comply with their requirements. If you are in any doubt about what a condition requires of you, please ask us for assistance. Planning conditions may require you to submit further information to us and await our approval before you can start your development. A failure to do so could result in your development being unlawful and necessitate the submission of a further planning application. A failure to comply with the conditions of the permission/consent may result in the taking of enforcement and potentially legal action, against you to remedy the breach of planning control.**
- 4. A fee is normally payable to discharge planning conditions in accordance with government regulations.**
- 5. This permission does not convey any rights or approval to build on, or develop, any land that is not fully owned or controlled by you, including on party boundaries. You should satisfy yourself that the agreement of any adjoining landowners has been given prior to commencing any building works.**
- 6. If a Building Regulations Consent is required for these works it is your responsibility to ensure that the plans submitted for both the Building Regulations Consent and Planning Permission are the same in all respects. Should the plans relating to one consent vary from the other, it will be necessary for you to submit amended plans to this Department and obtain the relevant approval(s) prior to commencing any works. Knowsley Council's Building Control team are contactable on (0151)-443 2342 and they would be pleased to assist you.**

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- As this is a decision for a minor commercial application, if you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
- Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>.
If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

Knowsley MBC
Planning Department
Municipal Buildings
Archway Road
Huyton
L36 9YU

Email: dcconsultations@knowsley.gov.uk

**Merseyside Fire & Rescue Authority
Community Fire Protection**

Fire Engineering Team
Service Headquarters
Bridle Road
Bootle
Merseyside
L30 4YD

Telephone: 0151 296 6590 (Calls may be recorded)
Inspecting Officer: Alison Harrison
Email: fireengineeringteam@merseyfire.gov.uk
web Site: www.merseyfire.gov.uk

Your ref: 23/02744/FUL

Our ref: 00875306/1125467/AH/LC

Date: 26th January 2024

Dear Sir/Madam,

THE TOWN AND COUNTRY PLANNING ACT 1990
PLANNING APPLICATION NUMBER REF: 23/02744/FUL
PROPOSAL: DEMOLITION OF EXISTING BOXING CLUB BUILDING AND ERECTION
OF REPLACEMENT TWO STOREY BUILDING INCLUDING AIR SOURCE HEAT PUMP
WELLNESS CABIN NEW CAR PARK AND NEW ACCESS
ADDRESS: Tower Hill ABC Heathfield Drive Tower Hill Kirkby Knowsley L33 1WU

The Fire Authority requests that any decision notice includes the following information;

The plans relating to the above application have been examined and below are the Fire Authority's observations:

- * Access for fire appliances should comply with the requirements of Section B5, Schedule 1 of the Building Regulations. Provisions for access will depend on the size and use of the building. The design of the access route, for example minimum road widths and maximum reversing distances, should also be considered (Appendix A, attached).
- * In accordance with Section 55 of the County of Merseyside Act 1980, the position of the premises should not compromise or impede existing means of fire service access to a neighbouring building.
- * Water supplies for firefighting purposes (Appendix B) should be risk assessed in accordance with the undermentioned guidance in liaison with the water undertakers (United Utilities - 0161 907 7351) with suitable and sufficient fire hydrants supplied.
- * **Shopping, offices, recreation and tourism**

Commercial developments of this type should have a water supply capable of delivering a minimum flow of 20 to 75 litres per second to the development site.

Further information regarding access requirements can be found in the current version of Approved Document B, which is available for free download via:
<https://www.gov.uk/government/publications/fire-safety-approved-document-b>

Should you require any further information in respect of this correspondence please contact the Officer named above

Yours faithfully

Alison Harrison

Authorised Fire Safety Inspecting Officer
And on behalf of Merseyside Fire and Rescue Authority

Appendix A - Access and Facilities for the Fire Service as given in Section B5 of Approved Document B

Domestic Dwellings

For dwelling houses, access for a pumping appliance should be provided to within 45m of all points inside the dwelling house.

For flats, either: access for a pumping appliance should be provided to within 45m of all points inside each flat of a block, measured along the route of the hose; or fire mains should be provided.

Commercial Buildings

Small buildings (up to 2000m², with a top occupied storey a maximum of 11m above ground level), require access for a pump appliance to 15% of the perimeter, or within 45m of every point of the footprint of the building, whichever is the less onerous.

Larger buildings will require access to a percentage of the perimeter that increases incrementally with size of the total floor area and height of building – please see details in Approved Document B Volume 2 Section 15.

Elevations to which vehicle access is provided will require a door, to give access into the building. The maximum distance between doors, or between a door and the end of the elevation, is 60m (ie a 150m elevation would need a minimum of two doors).

All Buildings

Access routes and hardstanding should comply with Table 13.1 ADB Volume 1 / Table 15.2 ADB Volume 2. Please note: MFRS appliances are 17 tonnes (pump) and 26 tonnes (high reach).

Dead-end access routes longer than 20m require turning facilities (eg a turning circle or hammer head, or other turning point).

Where fire mains are fitted, access should be provided for a pumping appliance to within 18m of each fire main inlet connection point. Inlets should be on the face of the building and visible from the parking position of the appliance. The run of horizontal internal connecting pipe should be a maximum of 18m in length.

Buildings with a storey more than 18m above the fire service vehicle access level, or a basement more than 10m below, should have one or more firefighting shafts containing fire-fighting lifts and fire mains (a minimum of two fire-fighting shafts will be required for buildings with a floor area of 900 m² or more).

Buildings in the 'shop and commercial', 'assembly and recreation' or 'industrial' purpose groups (Groups 4, 5, or 6), with a storey area of 900m² or more and a storey height of 7.5m or more above fire service vehicle access level will require at least two firefighting shafts (firefighting lifts may not be needed).

Entry to a firefighting shaft at fire service access level should be available either directly from the open air or by way of a protected corridor not exceeding 18m in length. The corridor is deemed to be part of the firefighting shaft, and any access to it from the accommodation should be by way of protected lobbies.

Hydrants

Where a building has a compartment with an area of more than 280m² and is being erected more than 100m from an existing fire hydrant, additional hydrants are required as follows:

Buildings with fire main – hydrant within 90m of dry fire main inlet;

Buildings without fire main – hydrant within 90m of an entrance to the building; and a maximum of 90m apart.

Appendix B - Guidelines on flow requirements for firefighting

The following flows represent the ideal requirements on new developments and during permanent system changes.

Housing

Housing developments with units of detached or semidetached houses of not more than two floors should have a water supply capable of delivering a minimum of eight litres per second through any single hydrant. Multi occupied housing developments with units of more than two floors should have a water supply capable of delivering a minimum of 20 to 35 litres per second through any single hydrant on the development.

Transportation

Lorry/coach parks - multi-storey car parks - service stations.

All of these amenities should have a water supply capable of delivering a minimum of 25 litres per second through any single hydrant on the development or within a vehicular distance of 90 metres from the complex.

Industry

The water supply infrastructure to any industrial estate should be as follows with the mains network on site being normally at least 150 mm nominal diameter—

Up to one hectare 20 litres per second.

One to two hectares 35 litres per second.

Two to three hectares 50 litres per second.

Over three hectares 75 litres per second.

Shopping, offices, recreation and tourism

Commercial developments of this type should have a water supply capable of delivering a minimum flow of 20 to 75 litres per second to the development site.

Education, health and community facilities

Village halls— Should have a water supply capable of delivering a minimum flow of 15 litres per second through any single hydrant on the development or within a vehicular distance of 100 metres from the complex.

Primary schools and single storey health centre's— Should have a water supply capable of delivering a minimum flow of 20 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.

Secondary schools, colleges, large health and community facilities— Should have a water supply capable of delivering a minimum flow of 35 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.