







HP01 TYPICAL HEDGE PLANTING/ Whip and Feather
SECTION



- ① Specimen Tree; trunk wrapped in hessian (or similar approved).
- ② Two stakes driven 300mm min. into subsoil below excavated pit. Top of stakes should extend 600-700mm above surface to secure tree with.
- ③ Topsoil backfill. To be compacted in layers not exceeding 300mm strictly in accordance with manufacturers recommendations. An 'Elephants Foot' whacker should be used to achieve compaction. Individual trees to be planted in a 1.5x1.5x1.5m pit. In critical areas, where trees are planted adjacent to existing services, pit to be edged with a proprietary root barrier system.
- ④ Drainage layer; 200mm depth -mm dia. clean gravel.
- ⑤ 50mm depth surface course (composted bark mulch).
- ⑥ Root barrier (where trees are planted adjacent to existing services).
- ⑦ 150mm half round timber crossbar secured to stakes with galvanised nails. Secure tree to rail with approved tree ties using galvanised nails to secure tie material to crossbar.
- ⑧ Existing site soil

LP01 TYPICAL TREE PLANTING/ Standard and Extra Heavy Standard
SECTION



- ① Turf as specified
- ② Planting soil and soil additives as specified to min.300mm depth
- ③ Break-up & cultivate site soil to min.150mm depth
- ④ Existing site soil

GP01 TYPICAL GRASS PLANTING
SECTION

Site preparation and earthworks

Generally all earthworks shall be executed in accordance with BS4428 'General Landscape Operations'. Ground profiles to be left with smoothly flowing contours, free from localised depressions, high spots and abrupt angles. Cultivate topsoil and produce an even surface free from lumps and clods. Cultivation shall be to a minimum depth of:

Planted areas: 450mm
Native transplant areas: 350mm
Grass areas: 150mm

Planting

Quality of all plant material will be compatible with BS3936 part 1, 1992 specifications - 'Nursery Stock'. Handling and transportation of all plants shall be carried out in accordance with Horticultural Trade Associations 'Plant Handling' recommendation (1987). All planting operations shall be carried out in accordance with BS5326: 1975; BS4043: 1996; and BS4428: 1968. Advanced nursery stock to BS5236: 1975.


Shrubs: All shrubs will be supplied in accordance with the plant schedules by named nurseries. Shrub pits to be excavated to allow a 75mm clearance around edges of the root system. Sides and bottom of pits shall be loosened to relieve any compaction.

Bark mulch shall consist of FSC approved matured British conifer bark with an even particle size distribution between 5 – 35mm. The mulch to be Melcourt 'Ornamental Grade Bark Mulch' or similar approved. And a representative sample of the mulch shall be supplied or approved prior to delivery to site.

Watering: Shrub beds shall be thoroughly watered prior to application of mulch and subsequently maintained to a moist condition. Watering rate shall be as follows:

Shrub areas 30 litres/m2

Maintenance: All areas to be maintained under installing contract for 12 months post practical completion, to provide optimum conditions for plant and grass growth and to present a clean and tidy appearance. All deaths and failures are to be replaced at the first horticultural sound opportunity.



- ① Proposed Shrub
- ② Bark mulch 100mm depth
- ③ Topsoil
- ④ Break-up & cultivate site soil to min.150mm depth
- ⑤ Existing site soil

SP01 TYPICAL SHRUB PLANTING
SECTION

GENERAL NOTES

- 01.
- 02.
- 03.
- 04.
- 05.

REVISIONS

REV	DATE	DESCRIPTION	REV BY	CHK BY

KEY PLAN

CONSULTANT



LEAD CONSULTANT

CLIENT

ISSUED FOR

Planning Application
100% submittal

PROJECT

Kirkby Valley Golf Club

DRAWING TITLE

235 Planting Notes & Details

Drawn	JH	Checked	ATC	Approved	ATC
Date	13.02.23	Sheet Size	A3	Scale	N.T.S.
Drawing No.	G935 235 PLANTING NOTES & DETAILS				Rev.

CAD File No.	Consultant Project No.
G935 235	

This drawing, the designs and details shown are the copyright of International Design Group and shall not be copied or reproduced in any form without their written consent.