



Knowsley Council

**REGENERATION AND ECONOMIC DEVELOPMENT
DEPARTMENT**

TOWN AND COUNTRY PLANNING ACT 1990

PLANNING PERMISSION

Application No: 26/00139/FUL

Name and address of applicant

AFC Knowsley CIC
Lord Derby Pavilion
Knowsley Lane
Huyton
Knowsley
L34 7HD

Name and address of agent

MKW Architecture Ltd
Suite 51, Earl Business Centre
Dowry Street
Oldham
OL8 2PF

Date of Receipt: 26 March 2026

Date Valid: 12 June 2026

Address/Location Of Development:

Lord Derby Memorial Playing Fields
Knowsley Lane
Huyton
Knowsley

Description of Development:

ERECTION OF 6NO. FLOODLIGHTS, 2NO. 8-PERSON DUGOUTS, 50-PERSON COVERED SEATED STAND, 50-PERSON STANDING SHELTER, NEW HARDSTANDING/WALKWAY AROUND PLAYING FIELDS, TEMPORARY MATCHDAY, FENCING, 1NO. TICKETING KIOSK, NEW 1800MM PERIMETER FENCING, RAISING EXISTING FENCING TO 1800MM HIGH AND ASSOCIATED EXTERNAL WORKS

The Council of the Metropolitan Borough of Knowsley hereby give notice in pursuance of the above Act(s) that Planning Permission has been **granted** for the carrying out of the development referred to above in accordance with the application and plans submitted subject to the following condition(s):

1. The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason: In order to comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).

2. The development hereby permitted shall be carried out in accordance with the approved plans and documents listed in Schedule 1.

Reason: For the avoidance of doubt.

3. No development approved by this permission shall commence until a Biodiversity Gain Plan for delivery and monitoring of Biodiversity Net Gain, completed statutory Biodiversity Metric, baseline habitat map and proposed site plan have been submitted to and approved in writing by the Local Planning Authority. These must accord with one another and must show proof of purchase and allocation of any offsite units or statutory credits being used to achieve mandatory 10% BNG.

Reason: In order to meet Biodiversity Net Gain and to ensure compliance with NPPF 2024.

4. Notwithstanding the details shown on the approved drawings, prior to the first use of the 50-seater stand full details of landscaping works shall have been submitted to and approved in writing by the Local Planning Authority.

The details shall relate to all land surfaces not built upon and shall include:

- a. planting plans, specifications and schedules, planting size, species and numbers/densities, trees to be retained and a scheme for the timing / phasing of work.
- b. existing plants / trees to be retained
- c. A detailed regime for the ongoing and longer term maintenance of all soft landscaping is also required to be submitted for approval.

The approved landscaping works shall be implemented within the first available planting season.

Any trees or shrubs planted or retained in accordance with this condition which are removed, uprooted, destroyed, die or become severely damaged or become seriously diseased within 5 years of planting shall be replaced within the next planting season by trees or shrubs of similar size and species to those originally required to be planted.

Reason: To ensure that the site is satisfactorily landscaped having regard to its location and the nature of the proposed development.

5. Prior to the commencement of construction of any lighting, the obtrusive light limitations suggested in the Institution of Lighting Engineers Guidance Notes for Light Pollution must be met, as detailed within the Lighting Design, Wiseman Lighting, Drawing No. 0200-Rev C, Dated 10.12.25. All works which form part of the scheme shall be completed prior to operation of the floodlights and shall be maintained thereafter in accordance with the agreed scheme.

Reason: To prevent light intrusion on local dwellings.

6. The floodlights hereby approved shall not be switched on outside the hours of 09:00 to 22:00.

Reason: In order to protect neighbouring residents from lighting at night.

7. Based on the information available we are not aware of any contamination on this site. However, the responsibility to properly address contaminated land issues lies with the owner/developer of the site, irrespective of any involvement by this Authority. The applicant/developer is requested to contact the Council's Environmental Protection Unit (Tel: 0151

443 4712) as soon as is practicable should contamination be encountered during the development of the site.

If contaminated material is encountered the applicant/developer is required to dispose of the contaminated arisings appropriately. They should also be aware of their health and safety responsibilities to workers in respect of handling such materials. The developer should also ensure that no pathways are created by which any contamination may either migrate off-site or affect site users.

Reason: In order to prevent harm to human health from contamination.

8. The 1.8 metre high perimeter fencing (shown in 26-311 P-202 REV 00) shall be painted Moss Green (RAL 6005) and retained as such hereafter.

Reason: In order to reduce the visual impact of the fencing.

SCHEDULE 1

Date Received	Ref. No	Version	Drawing/Document Title
09/07/2026	-	-	50 Seater stand colours
06/07/2026	-	-	Planting Plan
02/06/2026	P-002	01	Proposed Site Plan
02/06/2026	2026/AFCK/03	01	Proposed Block Plan
02/06/2026	P-202	01	Proposed Dug Out, Kiosk and Fence
02/06/2026	-	-	CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN (CEMP)
26/03/2026	-	-	Location Plan
26/03/2026	2026/AFCK/04	-	Floodlight Elevations
26/03/2026	26-311 P-203	00	Proposed Stand Drawings
26/03/2026	26-311 P-201	00	Proposed Building Elevations

REASON(S) FOR THE GRANTING OF PLANNING PERMISSION

The decision to grant planning permission has also been taken having regard to the policies and proposals as set out below, and to all relevant material considerations including supplementary planning guidance:-

KNOWSLEY LOCAL PLAN: CORE STRATEGY

CS2 - Development Principles
CS7 - Transport Networks
CS8 - Green Infrastructure
CS19 - Design Quality and Accessibility in New Development
CS21 - Greenspaces and Trees
CS24 - Managing Flood Risk
SUE2a - Sustainable Urban Extensions - Knowsley Lane

SAVED POLICIES - KNOWSLEY REPLACEMENT UNITARY DEVELOPMENT PLAN (ADOPTED JUNE 2006)

ENV3 - Light Pollution

This informative is only intended as a summary of the reason(s) for the granting of planning permission. Should you require any further details relating to the decision please contact the relevant case officer (Andrew Hunt on 0151 443 2204)

ARTICLE 35 STATEMENT

The Local Planning Authority has acted positively and proactively in determining this application by assessing the proposal against all material considerations, including planning policies and any representations that may have been received and subsequently determining to grant planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

NOTE FOR APPLICANT:

IMPORTANT - PLEASE READ CAREFULLY THE NOTES BELOW AS FAILURE TO COMPLY COULD MAKE THE DEVELOPMENT HEREBY PERMITTED UNAUTHORISED

- 1) This planning permission is granted in strict accordance with the approved plans. It should be noted however that:
 - a) Any variation from the approved plans following commencement of the development, irrespective of the degree of variation, will constitute unauthorised development and may be liable to enforcement action.
 - b) You or your agent or any other person responsible for implementing this permission should inform Planning Services immediately of any proposed variation from the approved plans and ask to be advised as to the best method to resolve the matter. Most proposals for variation to the approved plans will require the submission of a new planning application.
- 2) This permission is granted subject to conditions, and it is the owner of the property and the person responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond.
- 3) If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent.
 - a) If a condition precedent is not complied with prior to the start of development, the whole of the development will be unauthorised, and you may be liable to enforcement action.
 - b) In addition, if the requirements of a condition precedent are subsequently not complied with, the development is unauthorised and the only way to rectify the development is the submission of a new application.

If any other type of condition is breached then you will be liable to a breach of condition notice.

Informative

1. The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Mining Remediation Authority on 0345 762 6846 or if a hazard is encountered on site call the emergency line 0800 288 4242.

Further information is also available on the Mining Remediation Authority website at: Mining Remediation Authority - GOV.UK

Standing Advice valid from 1st January 2025 until 31st December 2026

2. See letter from United Utilities



Dale Milburn

Executive Director – PLACE

Date: 14 July 2026

IMPORTANT NOTES FOR YOUR ATTENTION:

1. This permission refers only to that required under the Town and Country Planning Acts and does not include any consent or approval under any other enactment, bylaw, order or regulation.
2. This permission refers only to those plans submitted as part of the Planning Application a copy of which is retained by the Local Planning Authority. The Local Planning Authority should be contacted in writing if it is proposed to amend these plans in any way as a further permission, may be required.
3. You should ensure that you understand the requirements of all planning conditions and that you fully comply with their requirements. If you are in any doubt about what a condition requires of you, please ask us for assistance. Planning conditions may require you to submit further information to us and await our approval before you can start your development. A failure to do so could result in your development being unlawful and necessitate the submission of a further planning application. A failure to comply with the conditions of the permission/consent may result in the taking of enforcement and potentially legal action, against you to remedy the breach of planning control.
4. A fee is normally payable to discharge planning conditions in accordance with government regulations.
5. This permission does not convey any rights or approval to build on, or develop, any land that is not fully owned or controlled by you, including on party boundaries. You should satisfy yourself that the agreement of any adjoining landowners has been given prior to commencing any building works.
6. If a Building Regulations Consent is required for these works it is your responsibility to ensure that the plans submitted for both the Building Regulations Consent and Planning Permission are the same in all respects. Should the plans relating to one consent vary from the other, it will be necessary for you to submit amended plans to this Department and obtain the relevant approval(s) prior to commencing any works. Knowsley Council's Building Control team are contactable on (0151)-443 2342 and they would be pleased to assist you.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- If you want to appeal against your local planning authority's decision then you must do so within 6 months of the date of this notice.
- Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>.
If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

Planning Ref: 26/00139/FUL

Location: Lord Derby Memorial Playing Fields Knowsley Lane Huyton Knowsley

Please find below relevant information for the applicant.

United Utilities has no further comment on this application.

United Utilities' Property, Assets and Infrastructure

It is the applicant's responsibility to investigate the existence of any pipelines that might cross or impact their proposed site and also to demonstrate the exact relationship between United Utilities' assets and the proposed development.

We recommend the applicant visits our website for further information on how to investigate the existence of water and wastewater pipelines and what to do next if a pipeline crosses or is close to their red line boundary: [Working near our pipes - United Utilities](#)

United Utilities will not allow building over or in close proximity to a water main.

United Utilities will not allow a new building to be erected over or in close proximity to a public sewer or any other wastewater pipeline. Nb. Proposals to extend domestic properties either above, or in close proximity to a public sewer will be reviewed on a case by case basis by either by a building control professional or following a direct application to United Utilities.

Any construction activities in the vicinity of United Utilities' pipelines, including pipelines that may be outside the applicant's red line boundary, must comply with national building and construction standards and where applicable, our 'Standard Conditions for Works Adjacent to Pipelines' which can also be found on our website: [standard-conditions-for-works-adjacent-to-pipelines-issued-july-2015.pdf \(unitedutilities.com\)](#)

The level of cover to United Utilities pipelines and apparatus must not be compromised either during or after construction and there should be no additional load bearing capacity on pipelines without prior agreement from United Utilities. The applicant should not rely solely on the detail contained within asset maps when considering a proposed layout. Unless there is specific provision within the title of the property or an associated easement, any necessary disconnection or diversion of assets to accommodate development, will be at the applicant/developer's expense.

Where United Utilities' assets exist, it is essential that the applicant, or any subsequent developer, contacts our Developer Services team prior to commencing any works on site, including trial holes, groundworks or demolition.

DRAINAGE

We strongly encourage all developments to include sustainable drainage systems to help manage surface water and to offer new opportunities for wildlife to flourish. We request that Local Planning Authorities and applicants do all they can to avoid surface water entering the public sewer. The flows that come from this surface water are very large when compared with the foul water that comes from toilets, showers, baths, washing machines, etc. It is the surface water that uses up a lot of capacity in our sewers and results in the unnecessary pumping and treatment of surface water at our pumping stations and treatment works. If new developments can manage flows through sustainable drainage systems that discharge to an alternative to the

public sewer, it will help to minimise the likelihood of sewers spilling into watercourses and the flooding of homes and businesses.

National Planning Policy Framework (NPPF) and the National Planning Practice Guidance (NPPG) advise that surface water from new developments should be investigated and delivered in the following order of priority:

1. into the ground (infiltration);
2. to a surface water body;
3. to a surface water sewer, highway drain, or another drainage system;
4. to a combined sewer.

The applicant should consider their drainage plans in accordance with the drainage hierarchy outlined above.

In the event that the applicant, or any subsequent developer, approaches United Utilities regarding a connection for surface water to the public sewer, it is likely that we will request evidence that the drainage hierarchy has been fully investigated and why more sustainable options are not achievable. This will be managed through either our 'S106 Sewer Connections' or 'S104 Adoptions' processes.

WATER EFFICIENCY IN NEW DEVELOPMENT

Local planning authorities have the option to set additional technical requirements in respect of water use for the construction of new build dwellings, exceeding the minimum standards required by Building Regulations. All new homes are required to meet the mandatory national standard of 125 litres of water used per person per day as set out in Building Regulations Approved Document G. Where there is a clear local need, a local planning authority's development plan policies can require new-build dwellings to meet the tighter Building Regulations optional requirement of 110 litres of water used per person per day. If your adopted development plan includes a policy that implements the tighter water efficiency standard for new-build dwellings in Part 3 of Building Regulations, you should ensure that this is a condition of any planning permission you may grant. You should also consider whether there is any adopted development plan policy relating to a water efficiency in the construction of non-residential development. As this is a matter for the local planning authority / building control body, United Utilities would not be involved in the discharge of conditions relating to water efficiency.

CONTACT DETAILS FOR ANY QUERIES WHICH MAY RESULT FROM THIS EMAIL:

For applicants / developers:

Drainage / wastewater infrastructure: SewerAdoptions@uuplc.co.uk

Water supply / water infrastructure: DeveloperServicesWater@uuplc.co.uk

Local planning authorities / Planning Officers: Planning.Liaison@uuplc.co.uk

To enable us to answer enquiries as quickly as possible, we request enquiries are not sent to multiple mailboxes – this will delay our response.



Emma Hitchmough

Planning Analyst

Planning Team

Asset Managment

T: 07979 169600

unitedutilities.com