



Knowsley Council

REGENERATION AND ECONOMIC DEVELOPMENT

TOWN AND COUNTRY PLANNING ACT 1990

PLANNING PERMISSION

Application No: 21/00534/FUL

Name and address of applicant

Prima Group
8 Columbus Quay
Liverpool
L3 4DB

Name and address of agent

KWL Architects Ltd
Poplar House
Hazell Drive
Newport
NP10 8FY

Date of Receipt: 25 June 2021

Date Valid: 22 July 2021

Address/Location Of Development:

41 Dinas Lane
Roby
L36 2NL

Description of Development:

ERECTION OF PART TWO, PART THREE STOREY APARTMENT BLOCK (BLOCK A) COMPRISING OF 11 NO. APARTMENTS (6 NO. 2 BED APARTMENTS AND 5 NO. 1 BED APARTMENTS) USE CLASS C3, INCLUDING DEMOLITION OF SUB STATION, REVISED BOUNDARY TREATMENTS, ASSOCIATED PARKING AND ANCILLARY WORKS. (AMENDMENT TO PLANNING PERMISSION 18/00237/FUL)

The Council of the Metropolitan Borough of Knowsley hereby give notice in pursuance of the above Act(s) that Planning Permission has been **granted** for the carrying out of the development referred to above in accordance with the application and plans submitted subject to the following condition(s):

1. The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason: In order to comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).

2. The development hereby permitted shall be carried out in accordance with the approved plans and documents listed in Schedule 1.

Reason: For the avoidance of doubt.

3. Notwithstanding the details shown on the approved drawings, no part of the development shall be occupied until full details of both hard and soft landscaping works have been submitted to and approved in writing by the Local Planning Authority.

The details shall relate to all land surfaces not built upon and shall include:

- a) Land-levels and gradients resulting in the formation of any banks, terraces or other earthworks
- b) hard surfaced areas and materials,
- c) planting plans, specifications and schedules, planting size, species and numbers/densities, trees to be retained and a scheme for the timing / phasing of work.
- d) existing plants / trees to be retained
- e) A detailed regime for the ongoing and longer term maintenance of all soft landscaping is also required to be submitted for approval.

The approved landscaping works shall be implemented and completed prior to the occupation of the dwelling to which it relates unless otherwise agreed in writing by the Local Planning Authority.

Any trees or shrubs planted or retained in accordance with this condition which are removed, uprooted, destroyed, die or become severely damaged or become seriously diseased within 5 years of planting shall be replaced within the next planting season by trees or shrubs of similar size and species to those originally required to be planted.

Reason: To ensure that the site is satisfactorily landscaped having regard to its location and the nature of the proposed development and to comply with Saved Policy H5 of the Knowsley Replacement Unitary Development Plan, adopted June 2006, Policy CS19 of the Knowsley Local Plan Core Strategy, adopted January 2016, and the National Planning Policy Framework.

4. The development hereby permitted shall be carried out in accordance with the Arboricultural Method Statement Ref No 21-005 approved pursuant to Condition 5 attached to planning permission 18/00237/FUL.

Reason: To ensure that the proper protection of trees has been carried out in the interests of visual amenity and to comply with Policy DQ4 of the Knowsley Replacement Unitary Development Plan, adopted June 2006.

5. The development hereby permitted shall not be commenced until a scheme for the provision and implementation of a surface water regulation system to manage the risk of flooding from both overland flow and from the sewer network, has been submitted to and approved in writing by the Local Planning Authority. [The scheme shall include hydraulic calculations for a 1 in 30 yr storm and a 1 in 100yr storm with 30% climate change.] The agreed scheme shall be implemented prior to the first occupation of the development.

For the avoidance of doubt surface water must drain at the restricted rate of 5 l/s. No surface water will be permitted to drain directly or indirectly into the public foul or combined sewer.

The surface water drainage scheme should be consistent with the Non-Statutory Technical Standards for Sustainable Drainage Systems (March 2015) or any subsequent replacement national standards.

Reason: To prevent increased risk of flooding by ensuring the satisfactory storage of / disposal of surface water from the site and to comply with saved Policies CS2 and CS24 of the Knowsley Local Plan: Core Strategy, adopted January 2016.

6. If the sustainable drainage system is not adopted by a public body or statutory undertaker then, prior to first occupation, a Management and Maintenance Plan for the sustainable drainage system relating to the lifetime of the development shall be submitted to and approved in writing by the Local Planning Authority.

This shall include:

- a) details of provision for management and maintenance by a resident's management company.
- b) A schedule for on-going inspections relating to performance and condition.
- c) Details for planned maintenance and a mechanism for remedial and urgent repair works.
- d) Means of access for inspection and maintenance purposes.

The plan shall be implemented and completed in accordance with the agreed timescales contained within it.

Reason: To ensure effectiveness of the flood risk measures during the lifetime of the development policies CS2 and CS24 of the Knowsley Local Plan: Core Strategy (January 2016).

7. A. Implementation of Approved Remediation Scheme and Verification Report

The remediation scheme approved pursuant to Condition 8 attached to Planning Permission 18/00237/FUL shall be implemented and a verification report submitted to and approved in writing by the Local Planning Authority, prior to the development (or relevant phase of development) being brought into use.

- B. Reporting of Unexpected Contamination

In the event that contamination is found at any time when carrying out the approved development that was not previously identified it must be reported immediately to the Local Planning Authority. Development on the part of the site affected must be halted and a risk assessment carried out and submitted to and approved in writing by the Local Planning Authority. Where unacceptable risks are found remediation and verification schemes shall be submitted to and approved in writing by the Local Planning Authority. These shall be implemented prior to the development (or relevant phase of development) being brought into use.

C. Materials Management Plan

Prior to the reuse of site won materials ('waste' and non-waste) a Materials Management Plan, carried out in line with the CL: AIRE code of practice and signed off by a Qualified Person, shall be submitted to and agreed in writing with the local planning authority. The MMP shall demonstrate that any reuse of contaminated materials do not result in increased risk to the environment or human health.

D. Importation of Soil/Material

No soil is to be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development; a suitable methodology for testing this material should be submitted to and agreed by the Local Planning Authority prior to the soils being imported onto site. The methodology should include the sampling frequency, testing schedules, criteria against which the analytical results will be assessed (as determined by the risk assessment) and source material information. The analysis shall then be carried out and evidence submitted to and approved in writing to by the Local Planning Authority.

Reason: In the interests of safety, to prevent pollution of the water environment and to comply with Policy ENV5 of the Knowsley Replacement Unitary Development Plan, adopted June 2006.

8. No part of the development hereby permitted, including any works of demolition, shall be commenced until a Construction Management Plan that details the means of mitigation of construction effects has been submitted and agreed in writing by the Local Planning Authority. This shall include the following:
- a) Methods for the mitigation of noise and vibration from building works, including any piling works, and also from the operation of any temporary power generation or pumping plant which will operate overnight.
 - b) Methods for dust control and suppression.
 - c) Control of transfer of mud out of the site - details of wheel washing facilities including location and type.
 - d) Methods for the control of pests if apparent on-site.
 - e) The areas for the storage of plant and materials.
 - f) A programme of works, including phasing
 - g) Location of site compound, including any loading/unloading areas, turning areas for delivery vehicles and construction staff parking arrangements.
 - h) Scheme for recycling/disposal of waste resulting from demolition and construction works
 - i) Adequate provision for addressing any abnormal wear and tear to the highway.
 - j) Proposed hours of construction (the following is usually acceptable: 0800 to 1800 Monday to Friday, 0800 to 1300 Saturday and not at all on Sundays/Public Holidays).

All site works shall then proceed only in accordance with the approved management plan.

Reason: To ensure the satisfactory development of the site and in the interests of protecting the amenity of neighbouring occupiers and to comply with the National Planning Policy Framework; Policies CS2 and CS19 of the Knowsley Local Plan Core Strategy adopted January 2016; Policy WM9 of the Merseyside and Halton

Joint Waste Local Plan 2013 and saved Policies H5 and ENV2 of the Knowsley Replacement Unitary Development Plan adopted June 2006.

9. No part of the development shall be brought into use until visibility splays of 43 metres at a distance of 2.4m from the carriageway edge have been provided at the proposed (site access) junction with Dinas Lane. The splays shall be provided clear of obstructions to visibility above the height of 0.6 metres measured from the footway/verge level. Once created, the visibility splays shall be maintained clear of any obstruction and shall be retained at all times.

Reason: To ensure adequate visibility at the junction or site access is made and maintained, and to comply with Policy CS19 of the Core Strategy, adopted January 2016.

10. Notwithstanding the details submitted the development hereby permitted shall not be brought into occupation until a scheme for the provision of cycle and motorcycle parking, in accordance with the Council's current standards, has been submitted to and approved in writing by the Council as Local Planning Authority. The scheme shall be implemented as approved before any part of the development is brought into use and shall be retained as such thereafter. For the avoidance of doubt, long stay cycle parking must be covered and offer a means to secure the cycles. Motorbike storage should provide a means for securing the motorbike.

Reason: To ensure that adequate provision is made for parking cycles and motorcycles on the site and to comply with Policy CS7 of the Core Strategy, adopted January 2016.

11. Notwithstanding the details submitted prior to the first occupation of the development hereby permitted full details (including elevations and materials) of the bin stores/storage shed shall be submitted to and approved in writing by the Local Planning Authority. The bin stores/sheds shall be constructed in accordance with the approved details and made available for use prior to the first occupation of the building. They shall then be retained thereafter.

Reason: In the interests of residential amenity and to ensure compliance with Policy CS19 of the Core Strategy, adopted January 2016.

12. The development shall not be brought into use until the areas indicated on the submitted layout plan L102 Rev B to be set aside for parking, servicing, vehicular manoeuvring (including provision for pedestrians/cyclists) have been surfaced, drained and permanently marked out or demarcated in accordance with the details and specifications shown and shall be permanently retained as such thereafter.

Reason: In the interests of highway and pedestrian safety and to comply with Policy CS7 of the Core Strategy, adopted January 2016.

13. Notwithstanding the details submitted no part of the development hereby granted permission shall be occupied until details of all means of enclosure (including walls, fences and gates) and a programme for its implementation have been submitted to

and approved in writing by the Local Planning Authority. The means of enclosure indicated on the approved scheme shall be constructed in accordance with the approved details.

Reason: To ensure satisfactory privacy for occupants of the proposed dwellings, in the interests of visual amenity and to comply with Policies H5 and of the Knowsley Replacement Unitary Development Plan, adopted June 2006 and Policy CS19 of the Core Strategy, adopted January 2016.

14. No apartment shall be occupied unless and until the electric vehicle charging points indicated on the site layout plan have been installed and are operational . The approved infrastructure shall be permanently retained thereafter.

All chargepoints shall be:

- a) A minimum of 7KW, and
- b) at Least Mode 3 or equivalent, and
- c) untethered, and
- d) located in order to comply with the Equality Act 2010 and the accessibility requirements set out in the Building Regulations Part M.

All EV charging points shall be clearly marked as such and their purpose explained to new occupants within their new home welcome pack/travel planning advice.

Reason: In the interests of air quality, promoting sustainable travel opportunities and to comply with Policies CS2, CS7 and CS19 of the Knowsley Local Plan Core Strategy, adopted January 2016 and NPPF Para 110.

15. No external lighting shall be installed /erected until a scheme for external lighting has been submitted to and approved in writing by the Local Planning Authority.

For the avoidance of doubt, the scheme shall include drawings of the lighting and lighting columns, a site layout indicating positions of the lighting, isolux and luminosity details and manufactures specifications.

The lighting shall be installed only in accordance with the approved scheme.

Reason: In the interests of residential amenity and security and to comply with Policies CS2 and CS19 of the Knowsley Local Plan Core Strategy, adopted January 2016, and save Policy H5 of the Knowsley Replacement Unitary Development Plan, adopted June 2006.

16. No building hereby approved shall be occupied until details of full fibre broadband connections to all proposed dwellings within the development has been submitted to and approved in writing by the Local Planning Authority. The infrastructure shall be installed prior to occupation and made available for use immediately on occupation of any dwelling in accordance with the approved details.

Reason: To ensure that every dwelling has a full fibre broadband connection in accordance with paragraph 112 of the National Planning Policy Framework.

SCHEDULE 1

Date Received	Ref. No	Version	Drawing/Document Title
23/09/2021	PL102	B	SITE LAYOUT PLAN
25/06/2021	PL101	-	LOCATION PLAN
25/06/2021	PL103	-	PROPOSED GROUND FLOOR PLAN
25/06/2021	PL104	-	PROPOSED FIRST FLOOR PLAN
25/06/2021	PL105	-	PROPOSED SECOND FLOOR PLAN
25/06/2021	PL106	-	PROPOSED ROOF PLAN
25/06/2021	PL107		PROPOSED ELEVATIONS

REASON(S) FOR THE GRANTING OF PLANNING PERMISSION

The decision to grant planning permission has also been taken having regard to the policies and proposals as set out below, and to all relevant material considerations including supplementary planning guidance:-

KNOWSLEY LOCAL PLAN: CORE STRATEGY

SD1 - Sustainable Development
CS1 - Spatial Strategy for Knowsley
CS2 - Development Principles
CS3 - Housing Supply, Delivery and Distribution
CS7 - Transport Networks
CS19 - Design Quality and Accessibility in New Development
CS24 - Managing Flood Risk

SAVED POLICIES - KNOWSLEY REPLACEMENT UNITARY DEVELOPMENT PLAN (ADOPTED JUNE 2006)

H5 - Development within Primarily Residential Areas
DQ2 - Security in the Built Environment
ENV2 - Noise and Vibration
ENV5 - Contaminated Land

National Planning Policy Framework

This informative is only intended as a summary of the reason(s) for the granting of planning permission. Should you require any further details relating to the decision please contact the relevant case officer (Mark Quinn on 0151 443 2381)

ARTICLE 35 STATEMENT

The Local Planning Authority has acted positively and proactively in determining this application by identifying matters of concern within the application (as originally submitted) and negotiating with the applicant, acceptable amendments to the proposal to address those concerns. As a result, the Local Planning Authority has been able to grant planning

permission for an acceptable proposal, in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

NOTE FOR APPLICANT:

IMPORTANT - PLEASE READ CAREFULLY THE NOTES BELOW AS FAILURE TO COMPLY COULD MAKE THE DEVELOPMENT HEREBY PERMITTED UNAUTHORISED

- 1) This planning permission is granted in strict accordance with the approved plans. It should be noted however that:
 - a) Any variation from the approved plans following commencement of the development, irrespective of the degree of variation, will constitute unauthorised development and may be liable to enforcement action.
 - b) You or your agent or any other person responsible for implementing this permission should inform Planning Services immediately of any proposed variation from the approved plans and ask to be advised as to the best method to resolve the matter. Most proposals for variation to the approved plans will require the submission of a new planning application.
- 2) This permission is granted subject to conditions and it is the owner of the property and the person responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond.
- 3) If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent.
 - a) If a condition precedent is not complied with prior to the start of development, the whole of the development will be unauthorised and you may be liable to enforcement action.
 - b) In addition, if the requirements of a condition precedent are subsequently not complied with, the development is unauthorised and the only way to rectify the development is the submission of a new application.

If any other type of condition is breached then you will be liable to a breach of condition notice.

NOTE FOR APPLICANT: The applicant's attention is drawn to the following comments;

- 1 Pursuant to condition 10 in accordance with DfT Cycle Infrastructure Design July 2020 (Local Transport Note 1/20) Page 135, Sheffield stands should have minimum 1.0m spacing between each stand with minimum 0.5m gap between the stand and shelter wall (in this circumstance a 10m length would be required). The 8.1m length currently proposed is then considered too short to sufficiently accommodate 20 bicycles.
- 2 It is an offence to carry out any works within the public highway without the permission of the Highway Authority. The grant of planning permission will require the developer to enter into an agreement under s278 of the Highways Act 1980 with the Council. The applicant is advised to contact SiteDevelopment@knowsley.gov.uk to discuss the matter further.
- 3 Prior to the commencement of the development, a joint inspection between the applicant and the Council as Local Highway Authority of the condition of the existing footways/carriageways in the vicinity of the site should be carried out. The applicant is advised to contact SiteDevelopment@knowsley.gov.uk to discuss the matter further.

- 4 The applicant is reminded that the driveways should be engineered such that surface water is not allowed to drain onto the public highways
- 5 See attached consultation response from United Utilities
- 6 See attached consultation response from Merseyside Fire Authority

Executive Director - Regeneration and Economic Development

Date: 28/09/2022

IMPORTANT NOTES FOR YOUR ATTENTION:

1. This permission refers only to that required under the Town and Country Planning Acts and does not include any consent or approval under any other enactment, bylaw, order or regulation.
2. This permission refers only to those plans submitted as part of the Planning Application a copy of which is retained by the Local Planning Authority. The Local Planning Authority should be contacted in writing if it is proposed to amend these plans in any way as a further permission, may be required.
3. If a Building Regulations Consent is required for these works it is your responsibility to ensure that the plans submitted for both the Building Regulations Consent and Planning Permission are the same in all respects. Should the plans relating to one consent vary from the other, it will be necessary for you to submit amended plans to this Department and obtain the relevant approval(s) prior to commencing any works.

Appeals to the Secretary of State

- If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- If you want to appeal against your local planning authority's decision then you must do so within 6 months of the date of this notice.
- Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>. If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.
- The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

Knowsley MBC
PO Box 26, Yorkon Buildings Archway Road
Huyton, Knowsley
L36 9FB

Your ref 21/00534/FUL
Our ref DC/21/3299
Date 12-AUG-21

Dear Sir/Madam,

Location : 41 Dinas Lane Roby L36 2NL

Proposal : ERECTION OF 3 STOREY APARTMENT BLOCK (BLOCK A) COMPRISING 11 NO. APARTMENTS (6NO 2 BED APARTMENTS & 5NO. 1 BED APARTMENTS) USE CLASS C3, INCLUDING REVISED BOUNDARY TREATMENTS ,ASSOCIATED PARKING AND ANCILLARY WORKS. (AMENDMENT TO PLANNING PERMISSION 18/00237/FUL)

With regards to the above development proposal, United Utilities Water Limited ('United Utilities') wishes to provide the following comments.

Drainage

In accordance with the National Planning Policy Framework (NPPF) and the National Planning Practice Guidance (NPPG), the site should be drained on a separate system with foul water draining to the public sewer and surface water draining in the most sustainable way.

Following our review of the submitted Drainage Strategy, we can confirm the proposals are acceptable in principle to United Utilities and therefore should planning permission be granted we request the following condition is attached to any subsequent Decision Notice:

Condition:

The drainage for the development hereby approved, shall be carried out in accordance with principles set out in the submitted Foul & Surface Water Drainage Design Drawing 126/21/D100, Rev - Dated April 2021 which was prepared by Stephen Johnson Partnership. For the avoidance of doubt and unless otherwise agreed in writing by the Local Planning Authority, surface water must drain at the restricted rate of 5 l/s. No surface water will be permitted to drain directly or indirectly into the public foul or combined sewer. The development shall be completed in accordance with the approved details.

Reason: To ensure a satisfactory form of development and to prevent an undue increase in surface water run-off and to reduce the risk of flooding.

Please note: It would appear that the scheme has been designed using a TBM set at 50m rather than to ordnance survey data therefore levels across the site appear to be approximately 25m out.

The applicant can discuss any of the above with Developer Engineer, **Graham Perry**, by email at wastewaterdeveloperservices@uuplc.co.uk.

Please note, United Utilities are not responsible for advising on rates of discharge to the local watercourse system. This is a matter for discussion with the Lead Local Flood Authority and / or the Environment Agency (if the watercourse is classified as main river).

If the applicant intends to offer wastewater assets forward for adoption by United Utilities, the proposed detailed design will be subject to a technical appraisal by an Adoptions Engineer as we need to be sure that the proposal meets the requirements of Sewers for Adoption and United Utilities' Asset Standards. The detailed layout should be prepared with consideration of what is necessary to secure a development to an adoptable standard. This is important as drainage design can be a key determining factor of site levels and layout. The proposed design should give consideration to long term operability and give United Utilities a cost effective proposal for the life of the assets. Therefore, should this application be approved and the applicant wishes to progress a Section 104 agreement, we strongly recommend that no construction commences until the detailed drainage design, submitted as part of the Section 104 agreement, has been assessed and accepted in writing by United Utilities. Any works carried out prior to the technical assessment being approved is done entirely at the developers own risk and could be subject to change.

Management and Maintenance of Sustainable Drainage Systems

Without effective management and maintenance, sustainable drainage systems can fail or become ineffective. As a provider of wastewater services, we believe we have a duty to advise the Local Planning Authority of this potential risk to ensure the longevity of the surface water drainage system and the service it provides to people. We also wish to minimise the risk of a sustainable drainage system having a detrimental impact on the public sewer network should the two systems interact. We therefore recommend the Local Planning Authority include a condition in their Decision Notice regarding a management and maintenance regime for any sustainable drainage system that is included as part of the proposed development.

For schemes of 10 or more units and other major development, we recommend the Local Planning Authority consults with the Lead Local Flood Authority regarding the exact wording of any condition. You may find the below a useful example:

Prior to occupation of the development a sustainable drainage management and maintenance plan for the lifetime of the development shall be submitted to the local planning authority and

agreed in writing. The sustainable drainage management and maintenance plan shall include as a minimum:

- a. Arrangements for adoption by an appropriate public body or statutory undertaker, or, management and maintenance by a resident's management company; and*
- b. Arrangements for inspection and ongoing maintenance of all elements of the sustainable drainage system to secure the operation of the surface water drainage scheme throughout its lifetime.*

The development shall subsequently be completed, maintained and managed in accordance with the approved plan.

Reason: To ensure that management arrangements are in place for the sustainable drainage system in order to manage the risk of flooding and pollution during the lifetime of the development.

Please note United Utilities cannot provide comment on the management and maintenance of an asset that is owned by a third party management and maintenance company. We would not be involved in the discharge of the management and maintenance condition in these circumstances.

Water Supply

Should this application be approved the applicant must contact our water fittings section at Warrington North WwTW, Gatewarth Industrial Estate, off Liverpool Road, Sankey Bridges, Warrington, WA5 1DS.

The applicant should be instructed to lay their own private pipe, to United Utilities standards, back to the existing main. If this should involve passing through third party land United Utilities must receive a solicitor's letter confirming an easement, prior to connection.

United Utilities administers the mains water pressure to feed two storey buildings only. For properties three or more storeys high it is advised that the developer install some internal storage and internal booster pumps to ensure a constant supply to the upper storeys.

If the applicant intends to obtain a water supply from United Utilities for the proposed development, we strongly recommend they engage with us at the earliest opportunity. If reinforcement of the water network is required to meet the demand, this could be a significant project and the design and construction period should be accounted for.

To discuss a potential water supply or any of the water comments detailed above, the applicant can contact the team at DeveloperServicesWater@uuplc.co.uk.

Please note, all internal pipework must comply with current Water Supply (water fittings) Regulations 1999.

United Utilities' Property, Assets and Infrastructure

Where United Utilities' assets exist, the level of cover to the water mains and public sewers must not be compromised either during or after construction.

For advice regarding protection of United Utilities assets, the applicant should contact the teams as follows:

Water assets – DeveloperServicesWater@uuplc.co.uk

Wastewater assets – WastewaterDeveloperServices@uuplc.co.uk

It is the applicant's responsibility to investigate the possibility of any United Utilities' assets potentially impacted by their proposals and to demonstrate the exact relationship between any United Utilities' assets and the proposed development.

A number of providers offer a paid for mapping service including United Utilities. To find out how to purchase a sewer and water plan from United Utilities, please visit the Property Searches website; <https://www.unitedutilities.com/property-searches/>

You can also view the plans for free. To make an appointment to view our sewer records at your local authority please contact them direct, alternatively if you wish to view the water and the sewer records at our Lingley Mere offices based in Warrington please ring [0370 751 0101](tel:03707510101) to book an appointment.

Due to the public sewer transfer in 2011, not all sewers are currently shown on the statutory sewer records and we do not always show private pipes on our plans. If a sewer is discovered during construction; please contact a Building Control Body to discuss the matter further.

Should this planning application be approved the applicant should contact United Utilities regarding a potential water supply or connection to public sewers. Additional information is available on our website <http://www.unitedutilities.com/builders-developers.aspx>

Yours faithfully

Susan Dunn
Planning Team Leader
Planning, Landscape and Ecology

KMBC Planning Department
Municipal Buildings
Archway Road
Huyton
L36 9YU

dcconsultations@knowsley.gov.uk

**Merseyside Fire & Rescue Authority
Community Fire Protection**

Planning & Building Regulations Team
Service Headquarters
Bridle Road
Bootle
Merseyside
L30 4YD

Telephone: 0151 296 4000 (Calls may be recorded)

Inspecting Officer: John Hughes

Email: johnhughes@merseyfire.gov.uk

planningandbuildingregulationsteam@merseyfire.gov.uk

Fax: 0151 296 4594 Office Hours

Web Site: www.merseyfire.gov.uk

Your ref: 21/00534/FUL

Our ref: CFP/2601/JH/CS

Date: 15th September 2021

Dear Sir/Madam,

THE TOWN AND COUNTRY PLANNING ACT 1990

PLANNING APPLICATION NO: 21/00534/FUL

**PROPOSAL: ERECTION OF 3 STOREY APARTMENT BLOCK (BLOCK A) COMPRISING
11 NO. APARTMENTS (6NO 2 BED APARTMENTS 5NO. 1 BED APARTMENTS) USE
CLASS C3, INCLUDING REVISED BOUNDARY TREATMENTS ,ASSOCIATED PARKING
AND ANCILLARY WORKS.**

ADDRESS: 41 DINAS LANE ROBY L36 2NL

The Fire Authority requests that any decision notice includes the following information;

The plans relating to the above application have been examined and below are the Fire Authority's observations:

- * Access for fire appliances should comply with the requirements of Approved Document B5 of the Building Regulations.
- * Water supplies for fire fighting purposes should be risk assessed in accordance with the undermentioned guidance in liaison with the water undertakers (United Utilities - 0161 907 7351) with suitable and sufficient fire hydrants supplied.
- * **Housing**
- * Housing developments with units of detached or semidetached houses of not more than two floors should have a water supply capable of delivering a minimum of eight litres per second through any single hydrant. Multi occupied housing developments with units of more than two floors should have a water supply capable of delivering a minimum of 20 to 35 litres per second through any single hydrant on the development.
- * The premises should comply with Section 55 of the County of Merseyside Act 1980

Should you require any further information in respect of this correspondence please contact the Officer named above.

Yours faithfully,

Mr. Hughes
Authorised Fire Safety Inspecting Officer
And on behalf of Merseyside Fire & Rescue Authority

Guidelines on flow requirements for firefighting

The following flows represent the ideal requirements on new developments and during permanent system changes.

Housing

Housing developments with units of detached or semidetached houses of not more than two floors should have a water supply capable of delivering a minimum of eight litres per second through any single hydrant. Multi occupied housing developments with units of more than two floors should have a water supply capable of delivering a minimum of 20 to 35 litres per second through any single hydrant on the development.

Transportation

Lorry/coach parks - multi-storey car parks - service stations.

All of these amenities should have a water supply capable of delivering a minimum of 25 litres per second through any single hydrant on the development or within a vehicular distance of 90 metres from the complex.

Industry

The water supply infrastructure to any industrial estate should be as follows with the mains network on site being normally at least 150 mm nominal diameter—

Up to one hectare 20 litres per second.
One to two hectares 35 litres per second.
Two to three hectares 50 litres per second.
Over three hectares 75 litres per second.

Shopping, offices, recreation and tourism

Commercial developments of this type should have a water supply capable of delivering a minimum flow of 20 to 75 litres per second to the development site.

Education, health and community facilities

Village halls— Should have a water supply capable of delivering a minimum flow of 15 litres per second through any single hydrant on the development or within a vehicular distance of 100 metres from the complex.

Primary schools and single storey health centre's— Should have a water supply capable of delivering a minimum flow of 20 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.

Secondary schools, colleges, large health and community facilities— Should have a water supply capable of delivering a minimum flow of 35 litres per second through any single hydrant on the development or within a vehicular distance of 70 metres from the complex.