



TRIAL PIT LOG

[illegible]

TRIAL PIT LOG

CLIENT: Knowsley MBC			PROJECT: Windy Arbor			TRIAL PIT: TP2	
LOGGED BY: NB		PLANT: Hand tools	DATE: 6th Sept 2021		PIT DIMENSIONS 200mm x 200mm	JOB NUMBER: 70057126	
SAMPLE		W A T E R	DESCRIPTION		LEGEND	DEPTH	
Depth (m)	No.					(THICKNESS)	LEVEL
						(m)	(m O.D.)
0.0-0.3			Grass over dark brown slightly clayey gravelly SAND (topsoil made ground). Gravel is angular and subangular, fine to coarse of limestonem, sandstone and occasional coal. Crisp packet also recorded.				
			Very stiff orange brown mottled grey sandy CLAY.				
						0.5m	
						1.0m	
						1.5m	
						2.0m	
						2.5m	
						3.0m	
						3.5m	
						4.0m	
						4.5m	
						5.0m	
PLAN / ELEVATION:					REMARKS (pit stability / water encountered)		
					SAMPLE DESCRIPTION: Sampled at 09.55		
WSR - Ground and Water - First Floor - Exchange Station, Titheharn Street, Liverpool, L2 2DP							


TRIAL PIT LOG

CLIENT: Knowsley MBC			PROJECT: Windy Arbor			TRIAL PIT: TP3	
LOGGED BY: NB		PLANT: Hand tools	DATE: 6th Sept 2021		PIT DIMENSIONS 200mm x 200mm	JOB NUMBER: 70057126	
SAMPLE		W A T E R	DESCRIPTION		LEGEND	DEPTH	
Depth (m)	No.					(THICKNESS)	LEVEL
						(m)	(m O.D.)
0.0-0.35			Grass over brown slightly clayey gravelly SAND (topsoil made ground). Gravel is angular and subangular, fine to coarse of limestone and occasional coal.				
			Very stiff grey sandy CLAY.			0.5m	
						1.0m	
						1.5m	
						2.0m	
						2.5m	
						3.0m	
						3.5m	
						4.0m	
						4.5m	
						5.0m	
PLAN / ELEVATION:					REMARKS (pit stability / water encountered)		
					SAMPLE DESCRIPTION: Sampled at 10.15		
WSP - Ground and Water First Floor Exchange Station, Titheharn Street, Liverpool L2 2OP							




WSP - Ground and Water, First Floor, Exchange Station, Tithebarn Street, Liverpool, L2 2OP

TRIAL PIT LOG

CLIENT: Knowsley MBC			PROJECT: Windy Arbor			TRIAL PIT: TP5	
LOGGED BY: NB		PLANT: Hand tools	DATE: 6th Sept 2021		PIT DIMENSIONS 200mm x 200mm	JOB NUMBER: 70057126	
SAMPLE		W A T E R	DESCRIPTION		LEGEND	DEPTH	
Depth (m)	No.					(THICKNESS)	LEVEL
						(m)	(m O.D.)
0.0-0.4			MOT type 1 and granite gravel over brown, slightly clayey, very gravelly SAND. (topsoil made ground). Gravel is fine to coarse, angular and sub angular of brick, sandstone. Occasional metal and plastic detritus.				
			Very stiff grey CLAY.			0.5m	
						1.0m	
						1.5m	
						2.0m	
						2.5m	
						3.0m	
						3.5m	
						4.0m	
						4.5m	
						5.0m	
PLAN / ELEVATION:					REMARKS (pit stability / water encountered)		
					SAMPLE DESCRIPTION: Sampled at 11.00		
WSP - Ground and Water First Floor Exchange Station, Titheharn Street, Liverpool L2 2OP							


TRIAL PIT LOG

CLIENT: Knowsley MBC			PROJECT: Windy Arbor			TRIAL PIT: TP6	
LOGGED BY: NB		PLANT: Hand tools	DATE: 6th Sept 2021		PIT DIMENSIONS 200mm x 200mm	JOB NUMBER: 70057126	
SAMPLE		W A T E R	DESCRIPTION		LEGEND	DEPTH	
Depth (m)	No.					(THICKNESS)	LEVEL
						(m)	(m O.D.)
0.0-0.4			Grass over brown, slightly gravelly slightly clayey SAND (made ground topsoil). Gravel is fine and medium, angular and sub angular of various lithologies with occasional brick and coal.				
			Very stiff grey CLAY.			0.5m	
						1.0m	
						1.5m	
						2.0m	
						2.5m	
						3.0m	
						3.5m	
						4.0m	
						4.5m	
						5.0m	
PLAN / ELEVATION:					REMARKS (pit stability / water encountered)		
					SAMPLE DESCRIPTION: Sampled at 11.30		
WSP - Ground and Water - First Floor - Exchange Station, Tithebarn Street, Liverpool L12 2OP							

TRIAL PIT LOG

[illegible]

TRIAL PIT LOG

CLIENT: Knowsley MBC			PROJECT: Windy Arbor			TRIAL PIT: TP8	
LOGGED BY: NB		PLANT: Hand tools	DATE: 6th Sept 2021		PIT DIMENSIONS 200mm x 200mm	JOB NUMBER: 70057126	
SAMPLE		W A T E R	DESCRIPTION		LEGEND	DEPTH	
Depth (m)	No.					(THICKNESS)	LEVEL
						(m)	(m O.D.)
0.0-0.4			Brown, very gravelly slightly clayey SAND (topsoil made ground). Gravel is fine to coarse, angular and sub-angular of various lithologies, including brick, limestone, sandstone and coal. Detritus includes battery, metal, plastic, pottery.				
			Very stiff grey CLAY.			0.5m	
						1.0m	
						1.5m	
						2.0m	
						2.5m	
						3.0m	
						3.5m	
						4.0m	
						4.5m	
						5.0m	
PLAN / ELEVATION:					REMARKS (pit stability / water encountered)		
					SAMPLE DESCRIPTION: Sampled at 12.30		
WSP - Ground and Water - First Floor Exchange Station, Titheharn Street, Liverpool L2 2OP							