



## Models

Light colour, Colour Temperature

Ref:

☒ Cool White, 6500K

63972-125155

## Technical Details

|                                       |             |
|---------------------------------------|-------------|
| Light colour                          | Cool White  |
| Colour Temperature                    | 6500K       |
| Energy efficiency 2023 (EU-2019/2015) | E           |
| Available Components                  | Yes         |
| Replaceable driver                    | Yes         |
| Replaceable light source              | Yes         |
| Power                                 | 18 W        |
| Tension                               | 220-240V AC |
| Frequency                             | 50-60 Hz    |
| electrical insulation class           | II          |
| Dimmable                              | No          |
| Light Source                          | SMD2835     |
| Luminosity                            | 1800 lm     |
| Luminous Efficiency                   | 100 lm/W    |
| Type of lens                          | Opaal       |

|                             |                        |
|-----------------------------|------------------------|
| Use                         | Indoor, Outdoor        |
| IP protection               | IP65                   |
| Material                    | PC                     |
| Installation                | Surface                |
| dimensions                  | 25 mm x 38 mm x 600 mm |
| Height                      | 25 mm                  |
| Width                       | 38 mm                  |
| Length                      | 600 mm                 |
| Ambient Working Temperature | -20 °C~+50 °C          |
| Lifespan                    | 40.000 hours           |
| Certificates                | RoHS, CE, UKCA         |
| Warranty                    | 3 years                |
| Tube length                 | 60cm                   |
| Selectable Opening Angle    | 120°                   |



## Description

**The 60cm 18W IP65 Tri-Proof LED Batten Screen is perfect for both the lighting of your garden and your garage.** Its design adds a simple but modern touch that combines well with any style.

Characteristics of the 60cm 18W IP65 Tri-Proof LED Batten Screen

LEDs with SMD2835 technology offer high luminosity distributed over an opening angle of 120°. Both the housing and the cover of **the 600mm 18W IP65 Tri-Proof LED Batten Screen are made of polycarbonate, which is a very solid material that has high resistance to water, dust and corrosion.** All this is summarized in the IP65 protection indexes.

Applications of the 60cm 18W IP65 Tri-Proof LED Batten Screen

The design and characteristics of this LED screen position it as the **perfect solution for lighting large interior spaces of great diversity, such as factories, warehouses, parking lots, tunnels, terraces ... as** well as outdoor places such as gardens. Discover the Batten 600mm IP65 18W LED Screen in our LED effect lighting store and join us in saving energy thanks to LED lighting.



## Additional photographs

