



1. THIS DRAWING IS THE COPYRIGHT OF TIER CONSULT LTD AND CANNOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN CONSENT FROM THE COMPANY.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTS' ENGINEER'S AND SPECIALIST'S DRAWINGS TOGETHER WITH THE APPROPRIATE SPECIFICATION.
3. ALL DIMENSIONS ARE IN MILLIMETRES UNO, FOR THE PURPOSES OF CONSTRUCTION THIS DRAWING MUST NOT BE SCALED AND ONLY WRITTEN DIMENSIONS USED. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CHECK ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND ANY DISCREPANCIES TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE ENGINEER IN WRITING.
4. ALL LEVELS ARE IN METRES UNO & TO OS DATUM.

- WHERE EXCAVATIONS ARE DEEPER THAN 1.0m BELOW RETAINED GROUND LEVEL AND OPERATIVES NEED TO ENTER THE EXCAVATION TO UNDERTAKE A SPECIFIED OPERATION THE PRINCIPLE CONTRACTOR SHALL CONSIDER:-
- STEPPING THE EXCAVATION IN INCREMENTS OF 1.0m.
- PROVIDE A TEMPORARY RETAINING STRUCTURE.
- PROVIDE CONTROLLED ACCESS/EGRESS FOR OPERATIVES.
- BEFORE UNDERTAKING DEEP EXCAVATIONS THE CONTRACTOR SHOULD STUDY STATUTORY INFORMATION TO ENSURE THERE ARE NO BURIED WATER MAINS, SEWERS OR GAS MAINS.
- IN THE EVENT THE DEEP EXCAVATIONS IS ADJACENT TO A HIGHWAY OR ANY OTHER STRUCTURE OR ELEMENT THAT COULD POTENTIALLY SURCHARGE THE EXCAVATION. THE CONTRACTOR SHOULD IMPLEMENT THE APPROPRIATELY DESIGNED TEMPORARY WORKS SYSTEM AS PROVIDED BY A COMPETENT PERSON (5).
- THE CONTRACTOR SHOULD UNDERTAKE DUE CONSIDERATION OF DEFINING WHETHER OR NOT THE DEEP EXCAVATION IS DEFINED AS A CONFINED SPACE.

CONTRACTORS ARE TO STRICTLY FOLLOW ALL METHOD STATEMENTS AND RISK ASSESSMENTS WHEN WORKING IN PROXIMITY TO THE EXISTING EMBANKMENT TO ENSURE SLOPE STABILITY IS MAINTAINED AT ALL TIMES.

T2	10.10.23	JCB	Scale Bar Added	WNL	PJB
T1	04.06.2023	CCF	Planning Issue	WNL	PJB
Rev	Date	By	Description	Chk	App

Planning



TIER CONSULT GROUP.
Unit 5 Office Village,
Sandpiper Court,
Chester Business Park,
Chester,
CH4 9QZ
T: 01244 684 900

Client



Project Title:
**SYMMETRY PARK,
CRONTON.**

Drawing Title:
MINESHAFT AREA.
CDM.

Drawing Scale: 1:250 @ A1	Drawn By: JCB	Drawing Start Date: SEP 20
Drawing No: L005-TIE-ZZ-XX-DR-C-6046		Revision: T2