


This drawing (or any part thereof) may not be copied, transmitted or disclosed to any third party or unauthorized person without the prior written permission of Future3Architecture
This drawing is to be read in conjunction with all other relevant drawings prepared by consultants and sub-contractors. Report any discrepancies to the Architect or representatives thereof.



Contact:
07919222347
hello@future3.co.uk
155 Score Lane, Liverpool, L16 5EE
www.future3.co.uk

PROJECT
162 Macket's Lane
Liverpool
L25 8TQ

PROJECT N° 21028

CLIENT
Carl Ryan

DRAWING
Proposed GF Plan

STATUS BR

SCALE (@ A3) 1 : 50

DRAWN BY C.F.

DATE 22.04.21

DRAWING NUMBER 21028 - 05
REV A

- Ventilation Extract
- HD Heat Detector
- SD Smoke Detector

NEW STUD PARTITIONS
100mm x 50mm softwood treated timbers studs at 400mm ctrs with 50 x 100mm head and sole plates and solid intermediate horizontal noggins at 1/3 height or 450mm. tightly packed 100mm Rockwool or Isowool mineral fibre sound insulation in all voids the full depth of the stud. 12.5mm plaster board with skim plaster finish.

PARTIAL FILL CAVITY WALL
To achieve minimum U Value of 0.28W/m²K 102.5mm brickwork, 50mm clear residual cavity, 50mm Kingspan Thermawall TW50 fixed to inner leaf of 100mm lightweight block, Internal finish 12.5mm plasterboard on dabs.

New structural elements to Structural Engineers specification.

