




	Application Boundary
	Visibility Splay
	Existing Retained Vegetation, refer to arb survey/AIA by Tyler Grange
	Proposed Tree Planting
	Proposed Native Hedgerow
	Proposed Woodland Ground Flora Mix
	Proposed Amenity Seed Grass Mix
	Proposed Remediation Mix
	Proposed Woodland Mix
	Proposed Native Edge Mix
	Proposed Wildflower / Grassland Mix
	Proposed Groundcover Mix
	Island beds to be filled with imported top soil of min depth of 450mm
	Ancient Woodland Buffer - 15m
	Tree Pit. Imported top soil for tree pits, see specification document. Reclamation Grass Seed Mix (non-ryegrass) sown beneath trees

Tree Pit dimensions (min.) to be:
 1200 x 1200 and 750mm deep - Extra Heavy Standard
 1000 x 1000 mm and 750mm deep - Standard trees
 450 x 450 mm and 300mm deep - Feathered trees
 All tree pits in soft landscape to be at least 75mm
 diameter greater than the rootball and at least as deep
 as the rootball. For soil volume please refer to Tree
 Planting Table extract from Halsned Design Guide.

PL07	30/08/24	Minor amendments	AK	CG	CG
PL06	23/08/24	LPA comments addressed	AK	CG	CG
PL05	16/08/24	Amended Planting	AK	CG	CG
PL04	09/02/24	Amended Planting	NP	CG	CG
PL03	08/01/24	Amended Planting	NP	CG	CG
PL02	07/12/23	Amended Planting	NP	CG	CG
PL01	01/12/23	First issue	NP	CG	CG
Rev	Date	Description	DRA	CHK	APP

Symmetry Park, Merseyside

Client
Tritax Symmetry Merseyside 1 Ltd.

Soft Landscape Plan
(Reserved Matters Application 3)
page 1 of 3

Status	Date	Scale
For Planning	16/11/23	1:500 @ A1

Drawn	Designed	Checked	Approved
NP	NP	CG	CG

DWG No.	Revision
1453.008.ENZ.XX.00.DR.L.45.101	PL07



BRISTOL MANCHESTER SHEFFIELD
01454 269 237 0161 413 6444 0114 321 5151
www.enzygo.com hello@enzygo.com

