

NOTES
Use only written dimensions. All areas are indicative.
Consultation has been undertaken with the relevant
commencement. Notify the Architect of any discrepancies.
This drawing must only be used for the purpose for which
it has been supplied.

Network Rail asset reference: DSE/54 Archway Road
Rail Bridge, Huyton.


SPECIFICATION NOTES

1. 912400136696 - Colbur Core2 Compact Infilline
Paved high output 60 x 60 degree distribution
light fitting. Mounted on 41x41mm black Unistrut
section. (8no. each side of the tunnel).
2. 912400136694 - Colbur graze Compact Infilline
Powercore high output 10 x 60 degrees distribution
light fitting. Mounted on 41x41mm black Unistrut
section. (6no. each side of the tunnel).
3. Black painted galvanized channel (75x50mm).
4. Black Data Enabler box to be fixed through mortar
joints. (200x200x100mm).
5. Black Feeder Pillar located to allow at least
1500mm clear width between it and the highway
(H1550mm x V1470mm x D1470mm).
6. Black Junction box to be fixed through mortar
joints. (200x200x100mm).
7. Black 3 core SWA cable (15mm diameter).
8. Black 4 core SWA cable (15mm diameter).
9. Black 2 core CAT control cable (5mm diameter).

PLEASE NOTE:

- a. Cables which traverse the elevation will be
secured to the wall using stainless steel M4
stainless steel rods to a nominal depth of
80mm at 300mm intervals and will be
chemically anchored at mortar joints where
possible, and pull tested.
 - b. The Unistrut will be fixed to the wall using M4
stainless steel rods to a nominal depth of
80mm at 1 metre intervals and will be
chemically anchored at mortar joints where
possible, and pull tested.
- Generally, all facing brickwork and stonework shall be
retrained in situ. Masonry may be surface damaged
due to advanced age and exposed conditions.
exercise caution when selecting fixing points which for
the avoidance of doubt shall be in mortar joints unless
expressly approved otherwise. Should repairs or
repointing be required, provide a method statement
and seek first the written approval of the local authority
conservation officer before commencing work.

R. DATE	DESCRIPTION
A. 01.04.2021	ANNOTATION AMENDED.
-	-
-	-



MGMA ARCHITECTS LIMITED
Oriel Chambers Suite 37
14 Water Street
Liverpool L2 8TD
+44 (0) 151 236 6627
studio@mgma-architects.co.uk
www.mgma-architects.co.uk

**PROVISIONAL
NOT FOR CONSTRUCTION
FOR PLANNING PURPOSES ONLY**

CLIENT
KMD Planning and Property Management
Limited
PROJECT
Knowsley Gateway (Archway Road Bridge),
Huyton, Knowsley
DRAWING
Existing site plan

SCALE
1:1000@A1
DATE
22.03.2021
REVISION
A
NO.
9-038_002

0 1 2 5m
1:100

