





PROPOSED GROUND FLOOR PLAN 1:50

FLAT ROOF TO BE SINGLE PLY MEMBRANE
WITH 25 FIRE RATING COVERED WITH GUL
LAYS 20 SINGLE CORRUGATED POLYURETHANE
WATERPROOFING SYSTEM
SLOPE TO BE FORMED IN FLAT ROOF
DRAINAGE DRAINAGE DRAINAGE DRAINAGE
WHERE IT LEAKS WATER DRAINAGE DRAINAGE



SECTION A-A 1:50

47x200x4800 C24 SOLISTS @ 400 c/c's
13mm EXTERNAL QUALITY PLYWOOD DECKING @ 2
SILLAGE APPLIED ON SW FINISHES TO A MINIMUM
11.80 FILL VENTED CORRUGATED LAYERS
1400mm KINGSBANK THERMAFOAM INSULATION

3200

TRIMMED AND TIGHTENED SASSY BOARD LANTERN
LIGHT TO BE DOUBLED UP AND BOLTED TOGETHER
WITH CORNER BOLTS @ 500mm CENTRES

DPC MIN 150 ABOVE GROUND L

MIN 600x200 MM
CONCRETE (C30)
STRIP FOUNDATION

TITLE
SCALE

PROPOSED EXTENDED KITCHEN EXTENSION
7 ELWYN DRIVE HALEWOOD
PROPOSED FLOOR PLAN AND SECTION
1:50 A3